

**SYN524464****SYN524464 FS (A16148F) – Acute Inhalation Toxicity Study in Rats****Final Report****DATA REQUIREMENT(S):**

OECD Guidelines for Testing of Chemicals,
Procedure 403
EPA Health Effects Test Guidelines,
OPPTS 870.1300

AUTHOR(S):

Vicki Crutchfield

STUDY COMPLETION DATE:

July 3, 2008

PERFORMING LABORATORY:

STILLMEADOW, Inc.
12852 Park One Drive
Sugar Land, TX 77478 USA

LABORATORY PROJECT ID:

Report Number: 11815-08
Study Number: 11815-08
Task Number: T001110-08

SUBMITTER/SPONSOR:

Syngenta Crop Protection, Inc.
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

VOLUME 1 OF 1 OF STUDY**PAGE 1 OF 21****RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS**

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

STATEMENT OF DATA CONFIDENTIALITY CLAIMS

STATEMENT OF NO DATA CONFIDENTIALITY CLAIMS UNDER SPECIFIED FIFRA PROVISIONS

No claim of confidentiality is made for any information contained in this study on the basis of its falling within the scope of FIFRA Section 10(d)(1)(A) (discloses manufacturing or quality control processes), (B) (discloses the details of methods for testing, detecting or measuring the quantity of any deliberately added inert ingredient of a pesticide), or (C) (discloses the identity or percentage quantity of any deliberately added inert ingredient of a pesticide).

Company
Syngenta Crop Protection, Inc.

Company Agent: Adora Clark, Ph.D.

Adora Clark
U. S. Product Registration Manager

January 19, 2010
Date

Syngenta is the owner of this study. Syngenta has submitted this material to the United States Environmental Protection Agency specifically under the provisions contained in FIFRA as amended and, hereby, consents to use and disclosure of this material by EPA according to FIFRA. Notwithstanding the wording of our marking TRADE SECRET, this marking, by itself, conveys no supplemental claims of confidentiality under FIFRA Sections 10(a) or 10(b) (addressing protection of trade secrets and commercial and financial information). In submitting this material to EPA according to method and format requirements contained in PR Notice 86-5, we do not waive any protection or right involving this material that would have been claimed by the company if this material had not been submitted to the EPA, nor do we waive any protection or right provided under FIFRA Section 3 (concerning data exclusivity and data compensation) or FIFRA Section 10(g) (prohibiting disclosure to foreign and multinational pesticide companies or their agents).

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96. É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT

This study was designed and performed in STILLMEADOW, Inc.'s laboratory and was conducted in compliance with:

- United States Environmental Protection Agency FIFRA: Good Laboratory Practice Standards, 40 CFR 160 with exception **Section 160.113 (a)** Mixture analysis was not performed.
- United States Environmental Protection Agency TSCA 40 CFR 792 with exception **Section 792.113 (a)** Mixture analysis was not performed.
- Organization for Economic Cooperation and Development's Principles of Good Laboratory Practice, Annex 2, C(98)17 with exception **Section II, 6.2 (5)** Mixture analysis was not performed.
- Japan Ministry of Agriculture, Forestry and Fisheries, Notification 11-Nousan-6283, Director- General of Agricultural Production Bureau with exception **Article 12.8** Mixture analysis was not performed.

I, the undersigned, declare that the methods, results, and data contained in this report reflect the procedures used and the raw data collected in this study, according to the protocol.


Vicki Crutchfield
Study Director, STILLMEADOW, Inc.

3 July 2008
Date

Performing Laboratory: STILLMEADOW, Inc.
12852 Park One Drive
Sugar Land, TX 77478 USA


Odette Alexander, M.S.
Representative of Submitter/Sponsor

1/19/10
Date

Submitter/Sponsor: Syngenta Crop Protection, Inc.
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

Report Number: 11815-08

Page 3 of 21

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

QUALITY ASSURANCE STATEMENT

Test Substance: SYN524464 FS (500)

Study Title: SYN524464 FS (A16148F): Acute Inhalation Toxicity Study in Rats

The study report and data have been audited in accordance with Good Laboratory Practice Standards and STILLMEADOW, Inc. Standard Operating Procedures (SOPs). The final report accurately reflects the study data. The Quality Assurance Unit has not been involved in the actual conduct of this study.

The Quality Assurance Unit performed a recent facility inspection on 30 Apr 08. All findings were reported to Management, and the report and responses are kept in the Quality Assurance files.

The findings from any study inspections and audits were reported to the Study Director and Management as follows:

Critical Phase Inspected	Date Inspected	Reported to Study Director	Reported to Management
Protocol Review	1 Apr 08	1 Apr 08	1 Apr 08
Dosing	20 May 08	20 May 08	20 May 08
Report/Data Audit	27 Jun 08	27 Jun 08	27 Jun 08


B. Lynn Murphy, RQAP-GLP
Quality Assurance Director, STILLMEADOW, Inc.

03 Jul 08
Date

Report Number: 11815-08

Page 4 of 21

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Essas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

GENERAL INFORMATION

Contributors

The following contributed to this report in the capacities indicated:

Study Director: Vicki Crutchfield

Technical Staff: Paul Siemens, B.A.
Hector Fuentes
Richard Rao, B.S.

Robert Preston
Jacinda Chatman, B.S.

Data Services: Connie Pavatte, Report Preparation

Study dates

Study initiation date: 15 Apr 08

Experimental start date: 20 May 08

Experimental termination date: 3 Jun 08

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE OF CONTENTS

STATEMENTS OF DATA CONFIDENTIALITY CLAIMS	2
GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT	3
QUALITY ASSURANCE STATEMENT	4
GENERAL INFORMATION	5
TABLE OF CONTENTS	6
1.0 EXECUTIVE SUMMARY	7
2.0 INTRODUCTION	7
3.0 MATERIALS AND METHODS	7
3.1 Test Substance.....	7
3.2 Experimental Animals.....	8
3.3 Animal Husbandry	8
3.4 Prestudy Testing.....	8
3.5 Exposure Chamber.....	8
3.6 Generation of Test Atmosphere	9
3.7 Test Substance Administration	9
3.8 Determination of Concentration.....	9
3.9 Particle Size Distribution	9
3.10 In-life Observations.....	9
3.11 Postmortem Observations	10
3.12 Statistical Analysis.....	10
4.0 RESULTS AND DISCUSSION	10
4.1 Mortality/Estimated LC ₅₀ Values	10
4.2 Body Weights.....	10
4.3 Clinical Signs	10
4.4 Necropsy Findings	10
4.5 Inhalation Chamber Conditions	10
5.0 CONCLUSIONS	11
TABLES SECTION	12
TABLE 1 Body Weights, Time of Death and Gross Necropsy	12
TABLE 2 Summary of Pharmacologic and/or Toxicologic Signs.....	13
TABLE 3 Individual Pharmacologic and/or Toxicologic Signs.....	14
TABLE 4 Chamber Operating Parameters	15
TABLE 5 Gravimetric Conc. Calculations and Determination	16
TABLE 6 Particle Size Distribution	17
TABLE 7 Pretest Data	19
FIGURES SECTION	20
FIGURE 1 Nose Only Inhalation Chamber.....	20
APPENDICES SECTION	21
APPENDIX 1 Analytical Report	21

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta. São protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

1.0 EXECUTIVE SUMMARY

The test substance, SYN524464 FS (500) (A16148F), was evaluated for its acute inhalation toxicity potential in albino rats. Five males and five females were exposed for four hours in a nose-only inhalation system to an aerosol generated from the test substance (1:2.5 v/v solution in deionized water) at a level of 2.62 mg/L, with a mass median aerodynamic diameter (MMAD) of 1.9 microns. There was no mortality during the study. Clinical signs included activity decrease, gasping, respiratory gurgle and test substance on face, which were no longer evident by Day 4. Body weights were unaffected by exposure. The gross necropsy revealed no observable abnormalities except discolored lungs in eight animals. As indicated by the data, the acute inhalation LC₅₀ is greater than 2.62 mg/L.

2.0 INTRODUCTION

The objective of this study was to determine the acute inhalation toxicity potential of the test substance in accordance with US EPA OPPTS 870.1300, which is intended to meet testing requirements of FIFRA 7 USC 136, *et seq*, and TSCA 15 USC 2601. This study was conducted for Syngenta Crop Protection, Inc., according to the approved protocol and STILLMEADOW, Inc. SOP's. There were no deviations from the protocol which affected the quality or outcome of the study. All procedures in this study are in compliance with Animal Welfare Act Regulations. In the opinion of the sponsor, the study did not unnecessarily duplicate any previous work. The protocol, raw data, this report and a sample of test substance are archived at STILLMEADOW, Inc. The study was initiated on 15 Apr 08, the pre-dose experimental portion began on 22 Apr 08, and the animals were exposed on 20 May 08 at 0845. The in-life portion of the study was terminated on 3 Jun 08.

3.0 MATERIALS AND METHODS

3.1 Test Substance

Reference Name:	SYN524464 FS (500)
Label Identification:	SYN524464 FS (500)
	ID 533158
	A16148F
Date & Quantity Received:	14 Apr 08; 3691 g (Gr.Wt.)
Physical Description:	Pink opaque liquid
Storage:	Room temperature
Purity (w/w):	45.6% active ingredient
Stability:	Reassay: Mar 2009

Records pertaining to stability, characterization, identity, synthesis methods and location of documentation are the responsibility of the sponsor. A copy of the sponsor's Analytical Report is retained in the study file.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.2 Experimental Animals

Species & Strain: Albino rat; Sprague-Dawley
Justification of Species: The rat is preferred by various regulatory agencies for use in acute inhalation toxicity studies.
Source: Texas Animal Specialties, Humble, TX
Date Born/Date Received: 23 Mar 08 / 15 May 08
Acclimation Period: At least 5 days
Quantity & Sex: 5 males and 5 females (nulliparous and non-pregnant)
Group/Animal Identification: Cage cards/Ear punch
Weight on Dosing Day: Males: 246-271 g; Females: 176-214 g
Protocol deviation: male weight was outside protocol range but did not affect study outcome.

3.3 Animal Husbandry

Cage Type: Suspended, wire bottom, stainless steel
Housing: 1 per cage
Environmental Controls Set to Maintain: •Temperature 22°C±2° •Relative Humidity 30-70%
•12-hour light/dark cycle •10-12 air changes/hour
Actual Temp/Rel. Humidity: 19-22° C / 56-93%
Protocol deviation: temperature and humidity were outside protocol range but did not affect study outcome.
Food: Purina Formulab Chow #5008; available *ad libitum*
Water Type: Municipal water supply, analyzed by TCEQ Water Utilities Division; available *ad libitum* from automatic water system

Animal husbandry and housing at STILLMEADOW, Inc. comply with standards outlined in the "Guide for the Care and Use of Laboratory Animals" (NRC Publ.). No contaminants were expected to have been present in the feed or water that would have interfered with or affected the results of the study.

3.4 Prestudy Testing

Trial assays were conducted to determine which method(s) of aerosolizing the test substance into the exposure chamber would produce an acceptable concentration of at least 2.5 mg/L, and MMAD of 1-4 microns.

3.5 Exposure Chamber

A 500 L nose-only stainless steel, dynamic flow inhalation chamber was utilized in this study (Figure 1). The body of the chamber has 25 ports in 5 rows. Polycarbonate tubes are inserted into 10 designated individual ports. The test substance is introduced through the opening in the top of the chamber. The bottom section has a corresponding air outlet and a drain valve for cleaning the chamber. The individual polycarbonate tubes are tapered at one end to fit the shape of the animal's head and the back portion is sealed with a rubber cap. The cones containing the animals fit tightly into the ports, and are sealed with "O" rings.



3.6 Generation of Test Atmosphere

The aerosol was generated by pumping the test substance into a pressure operated Spraying System Company air atomizer (1/4 JSS), and then spraying the resulting aerosol directly into the exposure chamber. Air flow into the chamber was maintained through the use of a calibrated orifice plate at a rate of 24.0 air changes per hour. Air flow was recorded at 30 minute intervals during the exposure period, and was sufficient to ensure an oxygen content of at least 19% of the exposure atmosphere. Temperature and humidity were recorded at 30 minute intervals during the exposure period from an Extech Instruments humidity/temperature pen 445580 inserted in an unused port of the exposure chamber.

3.7 Test Substance Administration

Healthy albino rats were released from quarantine, and five males and five females were selected for testing. The test substance was stirred continuously during the exposure. The animals were exposed to an aerosol generated from the diluted test substance (1:2.5 v/v in deionized water) for a period of four hours. When 99% concentration (t-99) was attained, the animals that were individually housed in polycarbonate exposure tubes were inserted into a 500 L stainless steel nose-only inhalation chamber for the specified exposure period. At the termination of the exposure period, the animals were returned to their stock laboratory cages.

3.8 Determination of Concentration

The concentration of test substance in the exposure atmosphere (taken from the breathing zone of the animals) was determined gravimetrically twice per hour and nominally at the end of the exposure. The gravimetric concentration was determined by passing a known volume of exposure air through a pre-weighed filter and dividing the amount of test substance deposited on the filter by the volume of air, which passed through the filter. The nominal concentration was determined by dividing the loss in weight of the test substance after the exposure by the total volume of air which passed through the chamber.

3.9 Particle Size Distribution

Particle size, taken from the breathing zone of the animals, was determined twice during the exposure, using a cascade impactor, at a rate of 11.2 L/minute for a duration of 20 seconds. The MMAD and particle size distributions are calculated from these data by a computer program utilizing probit analysis.

3.10 In-life Observations

Observations for mortality and signs of pharmacologic and/or toxicologic effects were made frequently on the day of exposure and at least once daily thereafter for 14 days (Day 0 is day of exposure). Individual body weights were recorded just prior to the inhalation exposure and on Days 7 and 14.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.11 Postmortem Observations

On Day 14 after exposure, each animal was euthanized by an intraperitoneal injection of Fatal Plus® (Vortech Pharmaceuticals, Lot 2506, Exp: Nov 09). All study animals were subjected to gross necropsy, and all abnormalities were recorded.

3.12 Statistical Analysis

In order to calculate a mean exposure, the Mean Value Theorem of Calculus was used to properly weight the concentration, since the concentrations could not be measured continuously (see Table 5). This method weights concentrations based on the time span of each concentration. A concentration can be calculated for each minute, which better represents the exposure concentration received by each animal.

4.0 RESULTS AND DISCUSSION

4.1 Mortality/Estimated LC₅₀ Values

There was no mortality during the study. As indicated by the data, the acute inhalation LC₅₀ is greater than 2.62 mg/L.

4.2 Body Weights

Individual body weights are presented in Table 1. Body weight gain was unaffected by the administration of the test substance.

4.3 Clinical Signs

A summary of clinical signs is presented in Table 2. Individual data are presented in Table 3. Prominent in-life observations included activity decrease, gasping, respiratory gurgles and test substance on face. Animals were asymptomatic by Day 4.

4.4 Necropsy Findings

Individual necropsy findings are presented in Table 1. The gross necropsy conducted on each animal at termination of the study revealed no observable abnormalities, except discolored lungs in all males and three females.

4.5 Inhalation Chamber Conditions

Chamber operating parameters are presented in Table 4. Concentration determinations and calculations are presented in Table 5. Particle size distributions are presented in Table 6. Pretest data are presented in Table 7. The exposure concentration of 2.62 mg/L had an average MMAD of 1.9 microns.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta. São protegidos na forma da Lei 10.603/02 e do artigo 195, III, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

5.0 CONCLUSIONS

SYN524464 FS (500) (A16148F) was evaluated for its acute inhalation toxicity potential in albino rats. There was no mortality during the study. As indicated by the data, the acute inhalation LC₅₀ is greater than 2.62 mg/L.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLES SECTION

TABLE 1 Body Weights, Time of Death and Gross Necropsy

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

Animal Number	Body Weights (g)			Time of Death*	Gross Necropsy Findings
	Day 0	Day 7	Final		
291-M	250	278	306	Day 14	Lungs pale.
292-M	264	290	319	Day 14	Lungs pale.
293-M	269	290	328	Day 14	Lungs pale.
294-M	271	290	330	Day 14	Lungs pale.
295-M	246	273	306	Day 14	Lungs dark red.
Mean Wt.	260	284	318		
296-F	185	200	215	Day 14	NOA
297-F	186	204	215	Day 14	Black spots on lungs.
298-F	176	192	205	Day 14	Lungs dark red.
299-F	214	230	243	Day 14	NOA
300-F	190	206	224	Day 14	Lungs dark red.
Mean Wt.	190	206	220		

* - Day of dosing considered Day 0; Day 14 is terminal sacrifice.

M - Male; F - Female; NOA - No Observable Abnormalities

TABLE 2 Summary of Pharmacologic and/or Toxicologic Signs

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

Sex: Males and Females

	Time After Exposure Begins																			
	HOURS					DAYS														
	<u>0.5</u>	<u>1.0</u>	<u>2.5</u>	<u>4.5</u>	<u>6.0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	
<u>Reaction and Severity</u>																				
<u>Males</u>																				
Test substance on face (s)																				
Gasping																				
Respiratory gurgle																				
Activity decrease (s)																				
<u>Females</u>																				
Test substance on face (s)																				
Gasping																				
Activity decrease (s)																				

v - very slight; s - slight; m - moderate; e - extreme
Note: Digits indicate number of animals exhibiting reaction.

TABLE 3 Individual Pharmacologic and/or Toxicologic Signs

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

Animal#	Reaction and Severity	Time After Exposure Begins																		
		HOURS							DAYS											
		0.5	1.0	2.5	4.5	6.0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
291-M	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
292-M	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
293-M	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Gasping	-	-	-	p	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Respiratory gurgle	-	-	-	p	p	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
294-M	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
295-M	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
296-F	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Gasping	-	-	-	p	p	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
297-F	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
298-F	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
299-F	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-
300-F	Test substance on face	-	-	-	s	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-
	Activity decrease	-	-	-	s	s	s	-	-	-	-	-	-	-	-	-	-	-	-	-

M = Male; F = Female; v = very slight; s = slight; m = moderate; e = extreme; p = present; - = reaction not observed; D = death
NOTE: If an observation was between scheduled observations, the observation is presented under the next observation time.

TABLE 4 Chamber Operating Parameters

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

Time (Hour)	Temp (°C)	RH (%)	Air Flow (Lpm)
0.0	23.2	74.4	198
0.5	22.7	73.7	198
1.0	22.4	78.0	198
1.5	22.1	75.5	198
2.0	22.1	76.1	198
2.5	22.2	76.3	198
3.0	22.3	75.2	198
3.5	22.3	75.2	198
4.0	22.5	74.9	198
Mean:	22	76	198

t-99 Determination

Initial Chamber Air Flow 198 Lpm
 Exposure Chamber Size 500 L
 t-99 Value 12 min

Air Atomizer Setting

Sprayer Air Flow 26 Lpm
 Sample Intake 6.5 mL/min

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Report Number: 1815-08

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta Proteção de Cultivos Ltda., protegidos na forma da Lei 10.603/02 e do artigo 195, III, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 5 Gravimetric Conc. Calculations and Determination

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Sample Time	Weight (g)	Conc. (mg/L)	Sample Time	Weight (g)	Conc. (mg/L)
0855	0.0099	2.732	1055	0.0093	2.567
0925	0.0101	2.788	1125	0.0095	2.622
0955	0.0092	2.539	1155	0.0094	2.594
1025	0.0093	2.567	1225	0.0093	2.567

$$\text{Concentration} = \frac{\text{Weight X 1000 mg/g}}{1.87 \text{ Lpm X 3 min X 0.64553 Solid}}$$

Dose Level: 2.62 mg/L

Event*	Time Period	Concentration
Start-up	0833	
t-99 (begin exposure)	0845	
Extrapolation calculated	0845-0855	2.732 mg/L
Sample 1 taken	0855-0858	2.732 mg/L
Interpolation calculated	0858-0925	2.760 mg/L
Sample 2 taken	0925-0928	2.788 mg/L
Interpolation calculated	0928-0955	2.663 mg/L
Sample 3 taken	0955-0958	2.539 mg/L
Interpolation calculated	0958-1025	2.553 mg/L
Sample 4 taken	1025-1028	2.567 mg/L
Interpolation calculated	1028-1055	2.567 mg/L
Sample 5 taken	1055-1058	2.567 mg/L
Interpolation calculated	1058-1125	2.594 mg/L
Sample 6 taken	1125-1128	2.622 mg/L
Interpolation calculated	1128-1155	2.608 mg/L
Sample 7 taken	1155-1158	2.594 mg/L
Interpolation calculated	1158-1225	2.580 mg/L
Sample 8 taken	1225-1228	2.567 mg/L
Extrapolation calculated	1228-1245	2.567 mg/L
End exposure	1245	
MEAN EXPOSURE CONC.		2.62 mg/L

Nominal Concentration 54.9 mg/L

* - Sample # taken is the concentration measured during the sampling period.

Extrapolation is the measured concentration of the adjacent event period carried over to the present event period.

Interpolation is the concentration calculated as the average of the measured concentration before and after the present event period.

Mean exposure concentration is the sum of the actual time weighted concentrations divided by the sum of elapsed times and represents the mean value of the exposure concentration.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 6 Particle Size Distribution

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

¾ Hour Distribution

Stage	Size Range (microns)	EPD* (microns)	Amount Collected (mg)	% in Size Range	Cumulative % Less Than Size Range
1	>14.6	14.6	0.0	0.00	100.00
2	8.7 - 14.6	8.7	0.1	3.13	96.87
3	3.5 - 8.7	3.5	0.7	21.87	75.00
4	2.1 - 3.5	2.1	0.6	18.75	56.25
5	1.3 - 2.1	1.3	0.2	6.25	50.00
6	0.7 - 1.3	0.7	0.2	6.25	43.75
7	0.4 - 0.7	0.4	0.9	28.12	15.63
8	0.2 - 0.4	0.2	0.3	9.38	6.25
Backup Filter	0.0 - 0.2	0.0	0.2	6.25	0.00

Calculated $\text{CHI}^2 = 7.05$ with 6 Degrees of Freedom.

Values of T and CHI^2 for $P=.05$ are: $T = 2.45$ $\text{CHI}^2 = 12.6$

Particle Size (Microns)	% of Particles Collected
≤ 0.1	5
≤ 0.3	16
≤ 1.4	50
≤ 7.5	84
≤ 22.4	95

Mass Median Aerodynamic Diameter = 1.4 microns

Geometric Standard Deviation = 5.4

Based on Finney, D.J.: PROBIT ANALYSIS, 3rd ed., Chapters 3 and 4, 1971, Cambridge University Press.

* - Equivalent particle diameter @ 11.2 Lpm

TABLE 6 Particle Size Distribution (Continued)

ACUTE INHALATION TOXICITY IN RATS

Test Substance: SYN524464 FS (500)

Concentration: 2.62 mg/L

1 ¾ Hour Distribution

Stage	Size Range (microns)	EPD* (microns)	Amount Collected (mg)	% in Size Range	Cumulative % Less Than Size Range
1	>14.6	14.6	0.0	0.00	100.00
2	8.7 - 14.6	8.7	0.4	12.12	87.88
3	3.5 - 8.7	3.5	0.8	24.24	63.64
4	2.1 - 3.5	2.1	0.9	27.27	36.36
5	1.3 - 2.1	1.3	0.5	15.15	21.21
6	0.7 - 1.3	0.7	0.3	9.09	12.12
7	0.4 - 0.7	0.4	0.2	6.06	6.06
8	0.2 - 0.4	0.2	0.1	3.03	3.03
Backup Filter	0.0 - 0.2	0.0	0.1	3.03	0.00

Calculated $\text{CHI}^2 = 22.5$ with 6 Degrees of Freedom.

Values of T and CHI^2 for $P=.05$ are: $T = 2.45$ $\text{CHI}^2 = 12.6$

Particle Size (Microns)	% of Particles Collected
≤ 0.2	5
≤ 0.5	16
≤ 2.5	50
≤ 11.6	84
≤ 31.8	95

Mass Median Aerodynamic Diameter = 2.5 microns

Geometric Standard Deviation = 4.7

Based on Finney, D.J.: PROBIT ANALYSIS, 3rd ed., Chapters 3 and 4, 1971, Cambridge University Press.

* - Equivalent particle diameter @ 11.2 Lpm

TABLE 7 Pretest Data

ACUTE INHALATION TOXICITY IN RATS
Test Substance: SYN524464 FS (500)

Trial assays were conducted to ascertain results, summarized below, under different chamber conditions.

<u>MMAD (microns)</u>	<u>Concentration (mg/L)</u>
ND	1.93
ND	2.48
4.1	1.74
3.0	1.74
4.6	2.65
4.1	1.88
ND	1.82
4.1	2.04
3.6	2.10
2.6	2.93
ND	2.84
ND	2.95

ND - Not determined

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS


Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da NINHO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.


Todos os infratores poderão ser processados civil e criminalmente

FIGURES SECTION

FIGURE 1 **Nose Only Inhalation Chamber**



Air flows into the chamber at the top left. Air flow and negative pressure are measured at the circular gauges. There are 25 ports in the door. Animals in nose only tubes are placed in second and third row of ports. The fourth row and center port on the right side of the chamber are used for sampling ports. Air flow exits the chamber to the lower right. A drain is located at the bottom of the chamber.



Close up view of rat in nose only tube



Nose only tube

APPENDICES SECTION

APPENDIX 1 Analytical Report

syngenta

A16148F
Batch ID 533158 (GP-080305)

Batch Identification	533158
Product Design Code	A16148F
Product Denomination	SYN524464 FS (500)
Product by Common Name	SYN524464 FS (500)
Other Product Code(s)	GP-080305
Source	Technology & Projects, Syngenta Crop Protection, Inc.
Chemical Analysis	
(Active Ingredient Content)	
Identity of the Active Ingredient*	Confirmed
Content of SYN524464*	45.6% (wt/wt) or 534 g/L
Methodology Used for Characterization	HPLC
The Active Ingredient content is within the	FAO limits.
Physical Analysis	
Appearance*	pink opaque liquid
Density*	1.171 g/L
Stability:	
Storage Temperature	< 30°C
Expiration date	March 2009

The stability of this test substance will be determined concurrently through reanalysis of material held in inventory under GLP conditions at Syngenta Crop Protection, Inc., Greensboro, NC

This Certificate of Analysis is summarizing data (marked with an asterisk) from a study that has been performed in compliance with Good Laboratory Practices per 40 CFR Part 160. Raw data, documentation, protocols, any amendments to study protocols and reports pertaining to this study are maintained in the Syngenta Crop Protection Archives in Greensboro, NC.

Authorization:



Dorothea Jeffery
Group Leader I
Analytical & Product Chemistry Department

26 Mar 2008

Date

Document 10350420.doc

Page 1 of 1

Certificate of Analysis

Study T000973-08

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Report Number: 11815-08

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta Crop Protection, Inc. ou de uma de suas subsidiárias, incluindo a Syngenta Crop Protection, Inc. de Cultivos LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, III, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente