

STATEMENTS OF DATA CONFIDENTIALITY CLAIMS

This page intentionally left blank.

CONFIDENTIAL
Property of Syngenta

syngenta®

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA S.A. / SYNGENTA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.


Todos os infratores poderão ser processados civil e criminalmente

GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT

This study was designed and performed in STILLMEADOW, Inc.'s laboratory and was conducted in compliance with:

- United States Environmental Protection Agency FIFRA: Good Laboratory Practice Standards, 40 CFR 160
- United States Environmental Protection Agency TSCA 40 CFR 792
- Organization for Economic Cooperation and Development's Principles of Good Laboratory Practice, Annex 2, C(98)17
- Japan Ministry of Agriculture, Forestry and Fisheries, Notification 11-Nousan-6283, Director- General of Agricultural Production Bureau

I, the undersigned, declare that the methods, results, and data contained in this report reflect the procedures used and the raw data collected in this study, according to the protocol.



Janice O. Kuhn, Ph.D., DABT
Study Director, STILLMEADOW, Inc.

27 Aug 08
Date

Performing Laboratory: STILLMEADOW, Inc.
12852 Park One Drive
Sugar Land, TX 77478 USA

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estes resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

QUALITY ASSURANCE STATEMENT

Test Substance: SYN524464 FS (500)


Study Title: SYN524464 FS (A16148F): Acute Eye Irritation Study in Rabbits

The study report and data have been audited in accordance with Good Laboratory Practice Standards and STILLMEADOW, Inc. Standard Operating Procedures (SOPs). The final report accurately reflects the study data. The Quality Assurance Unit has not been involved in the actual conduct of this study.

The Quality Assurance Unit performed a recent facility inspection on 30 Apr 08. All findings were reported to Management, and the report and responses are kept in the Quality Assurance files.

The findings from any study inspections and audits were reported to the Study Director and Management as follows:

Critical Phase Inspected	Date Inspected	Reported to Study Director	Reported to Management
Protocol Review	1 Apr 08	1 Apr 08	1 Apr 08
Observations	30 Apr 08	30 Apr 08	30 Apr 08
Report/Data Audit	30 May 08	30 May 08	30 May 08


Richard L. Martin, M.S., C.Ph.T.
Quality Assurance, STILLMEADOW, Inc.

27 Aug 08
Date

Report Number: 11816-08

Page 4 of 17

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS
Os resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

GENERAL INFORMATION

Contributors

The following contributed to this report in the capacities indicated:

Study Director: Janice O. Kuhn, Ph.D., DABT

Technical Staff: Carol Morris, B.A. Paul Siemens, B.A.
Hector Fuentes Robert Preston
Nancy Casajuana, L.A.T.

Data Services: Connie Pavatte, Report Preparation

Study dates

Study initiation date: 14 Apr 08

Experimental start date: 28 Apr 08

Experimental termination date: 1 May 08

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta S.A. - BRASÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, Y, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE OF CONTENTS

STATEMENTS OF DATA CONFIDENTIALITY CLAIMS	2
GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT	3
QUALITY ASSURANCE STATEMENT	4
GENERAL INFORMATION	5
TABLE OF CONTENTS	6
1.0 EXECUTIVE SUMMARY	7
2.0 INTRODUCTION	7
3.0 MATERIALS AND METHODS	8
3.1 Test Substance.....	8
3.2 Experimental Animals.....	8
3.3 Animal Husbandry	8
3.4 Test Substance Administration	9
3.5 Observations.....	9
3.6 Irritation Scoring Method.....	9
4.0 RESULTS AND DISCUSSION	10
4.1 Evaluation	10
5.0 CONCLUSIONS	10
TABLES SECTION	11
TABLE 1 Ocular Reactions	11
TABLE 2 Scores and Score Summary.....	13
APPENDICES SECTION	14
APPENDIX 1 Legends to Tables	14
APPENDIX 2 Analytical Report	17

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da COIMBRA BIOTECNOLOGIA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, Y, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.4 Test Substance Administration

Prior to starting the study, the pH of the test substance was determined to be 6.02. Healthy albino rabbits were released from quarantine. Both eyes of each animal were carefully examined within 24 hours prior to treatment with a fluorescein sodium ophthalmic solution, and cobalt-filtered light. Both eyes of each animal were again carefully examined just prior to treatment, but without the fluorescein sodium ophthalmic solution. Only those animals without eye defects or irritation were selected for testing.

On Day 0, a dose of 0.1 mL of the undiluted test substance as received was placed into the conjunctival sac of the right eye of each animal by gently pulling the lower lid away from the eyeball to form a cup into which the test substance was dropped. The lids were gently held together for one second to prevent loss of material. The untreated left eyes served as comparative controls.

3.5 Observations

The treated eyes of all animals were examined without magnification under white room lighting provided by daylight-type fluorescent ceiling fixtures, and (if needed) an additional source of white light affixed to the examination table or using a handheld flashlight. The grades of ocular reaction were recorded at 1, 24, 48 and 72 hours after treatment. The corneas of all treated eyes were examined immediately after the 24 hour observation with a fluorescein sodium ophthalmic solution. A Finoff ocular transilluminator with cobalt blue filter (Welch Allyn, Skaneateles Falls, NY) was utilized to enhance visualization of fluorescein staining. Any of the corneas that exhibited fluorescein staining at the 24-hour observation were re-examined with the fluorescein sodium ophthalmic solution at each consecutive observation until fluorescein staining of the cornea no longer occurred. All treated eyes were washed with room temperature deionized water for one minute immediately after recording the 24-hour observation.

3.6 Irritation Scoring Method

Individual irritation scores for each animal at each scheduled observation were determined using the grading scale given in the Legend to Table 1. An average irritation score for each scheduled observation for all eyes was then determined, based on the number of animals tested. A maximum average irritation score was derived from the observation yielding the highest average irritation score. The maximum average irritation score was used to rate the test substance according to the ratings presented in the Legend to Table 2. Any corneal involvement or iridic irritation with a score of 1 or more is considered positive. Any conjunctival irritation (redness or chemosis) with a score of 2 or more is considered positive.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da CANTAGRO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

4.0 RESULTS AND DISCUSSION

4.1 Evaluation

The number of animals with "positive" findings at each observation period is presented in the summary section of this report. There were no positive effects exhibited in any eyes at any time after treatment. Ocular reactions are presented in Table 1. A summary of irritation scores is presented in Table 2.

The maximum average irritation score of 0.0, obtained after treatment, was used to rate SYN524464 FS (500) (A16148F) non-irritating. Fluorescein staining did not occur in any of the eyes.

5.0 CONCLUSIONS

There were no positive effects exhibited in any eyes at any time after treatment, placing SYN524464 FS (500) (A16148F) in EPA Toxicity Category IV. Based on the maximum average irritation score of 0.0 out of a possible 110, the test substance SYN524464 FS (500) is rated non-irritating. Irritation was not present at any time during the study.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA S.A. - SOCIEDADE ANÔNIMA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLES SECTION

TABLE 1 Ocular Reactions

ACUTE EYE IRRITATION IN RABBITS
Test Substance: SYN524464 FS (500)

	Rabbit No. 2530-M										Rabbit No. 2531-F									
	Hrs After Treatment				Days After Treatment						Hrs After Treatment				Days After Treatment					
	1	24	48	72	4	7	10	14	17	21	1	24	48	72	4	7	10	14	17	21
I. Cornea																				
A. Opacity	0	0	0	0							0	0	0	0						
B. Area	0	0	0	0							0	0	0	0						
C. Fluorescein Staining	-	0	-	-							-	0	-	-						
D. Stippling	0	0	0	0							0	0	0	0						
SCORE	0	0	0	0							0	0	0	0						
II. Iris																				
A. Grade	0	0	0	0							0	0	0	0						
SCORE	0	0	0	0							0	0	0	0						
III. Conjunctivae																				
A. Redness	0	0	0	0							0	0	0	0						
B. Chemosis	0	0	0	0							0	0	0	0						
C. Discharge	0	0	0	0							0	0	0	0						
D. Necrosis or Ulceration	0	0	0	0							0	0	0	0						
SCORE	0	0	0	0							0	0	0	0						
TOTAL SCORE	0	0	0	0							0	0	0	0						
M – Male; F – Female																				
Duration of Study: 72 Hrs																				

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 1 Ocular Reactions (Continued)**ACUTE EYE IRRITATION IN RABBITS**

Test Substance: SYN524464 FS (500)

	Rabbit No. 2539-F									
	Hrs After Treatment				Days After Treatment					
	1	24	48	72	4	7	10	14	17	21
I. Cornea										
A. Opacity	0	0	0	0						
B. Area	0	0	0	0						
C. Fluorescein Staining	-	0	-	-						
D. Stippling	0	0	0	0						
SCORE	0	0	0	0						
II. Iris										
A. Grade	0	0	0	0						
SCORE	0	0	0	0						
III. Conjunctivae										
A. Redness	0	0	0	0						
B. Chemosis	0	0	0	0						
C. Discharge	0	0	0	0						
D. Necrosis or Ulceration	0	0	0	0						
SCORE	0	0	0	0						
TOTAL SCORE	0	0	0	0						
M – Male; F – Female										
Duration of Study: 72 Hrs										

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 2 Scores and Score Summary**ACUTE EYE IRRITATION IN RABBITS**

Test Substance: SYN524464 FS (500)

Time After Treatment	Rabbit Number			Average Score
	2530-M	2531-F	2539-F	
Hour 1	0	0	0	0.0
Hour 24	0	0	0	0.0
Hour 48	0	0	0	0.0
Hour 72	0	0	0	0.0
Day 4				
Day 7				
Day 10				
Day 14				
Day 17				
Day 21				
Descriptive Rating from the Legend to Table 2:				
Maximum Average Score:			0.0	Non-irritating
M – Male; F – Female Duration of Study: 72 Hrs				

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

APPENDICES SECTION

APPENDIX 1 Legends to Tables

ACUTE EYE IRRITATION IN RABBITS

Table 1 Grading Scale

I. Cornea	
A. <u>Opacity</u> - degree (area most dense taken for reading)	
No opacity	0
Slight dulling of normal luster.....	+
Scattered or diffuse areas of opacity (other than slight dulling of normal luster), details of iris clearly visible	1*
Easily discernible translucent area, details of iris slightly obscured	2*
Nacreous area, no details of iris visible, size of pupil barely discernible.....	3*
Opaque cornea, iris not discernible through the opacity	4*
B. <u>Area of cornea involved</u>	
One quarter (or less), but not zero	1
Greater than one quarter, but less than half	2
Greater than half, but less than three quarters	3
Greater than three quarters, up to whole area	4
C. <u>Fluorescein Staining</u> - appearance of yellow-green staining of cornea	
Cornea not examined with fluorescein.....	-
No fluorescein staining.....	0
Positive fluorescein staining.....	P
<u>Area of cornea involved</u>	
One quarter (or less), but not zero	A
Greater than one quarter, but less than half	B
Greater than half, but less than three quarters	C
Greater than three quarters, up to whole area	D
D. <u>Stippling</u> - appearance of pinpoint roughening	
No stippling	0
Presence of stippling.....	S
<u>Area of cornea involved</u>	
One quarter (or less), but not zero	A
Greater than one quarter, but less than half	B
Greater than half, but less than three quarters	C
Greater than three quarters, up to whole area	D

A X B X 5 Total Maximum = 80

* - Reaction indicates a positive effect.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da COOPERATIVA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 1 Legends to Tables (Continued)

ACUTE EYE IRRITATION IN RABBITS

Table 1 Grading Scale (cont.)

II. Iris	
A. <u>Grades</u>	
Normal	0
Markedly deepened rugae, congestion, swelling, moderate circumcorneal hyperemia or injection (any of these or combination thereof), iris still reacting to light (sluggish reaction is positive).....	1*
No reaction to light, hemorrhage, gross destruction (any or all of these).....	2*
A X 5	Total Maximum = 10
III. Conjunctivae	
A. <u>Redness</u> (refers to palpebral and bulbar conjunctivae excluding cornea and iris)	
Blood vessels normal.....	0
Some blood vessels definitely hyperemic (injected)	1
Diffuse, crimson color, individual vessels not easily discernible.....	2*
Diffuse beefy red	3*
B. <u>Chemosis</u> : lids and/or nictitating membrane	
No swelling.....	0
Any swelling above normal (includes nictitating membrane).....	1
Obvious swelling with partial eversion of lids	2*
Swelling with lids about half closed.....	3*
Swelling with lids more than half closed.....	4*
C. <u>Discharge</u>	
No discharge.....	0
Any amount different from normal (does not include small amounts observed in inner canthus of normal animals).....	1
Discharge with moistening of the lids and hairs just adjacent to lids.....	2
Discharge with moistening of the lids and hairs, and considerable area around the eye.....	3
D. <u>Necrosis or Ulceration</u> of the palpebral and bulbar conjunctivae or nictitating membrane	
No necrosis or ulceration.....	0
Presence of necrosis or ulceration	N
(A + B + C) X 2	Total Maximum = 20

* - Reaction indicates a positive effect.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da COOPERATIVA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 1 Legends to Tables (Continued)

ACUTE EYE IRRITATION IN RABBITS

Table 2 Rating of Test Substance Based on Eye Irritation*

<u>Rating</u>	<u>Maximum Average Score</u>	<u>Definition</u>
Non-irritating	0.0-0.5	To maintain this rating, all scores at the 24-hour reading must be zero; otherwise, increase rating one level.
Practically non-irritating	>0.5-2.5	To maintain this rating, all scores at the 24-hour reading must be zero; otherwise, increase rating one level.
Minimally irritating	>2.5-15.0	To maintain this rating, all scores at the 72-hour reading must be zero; otherwise, increase rating one level.
Mildly irritating	>15.0-25.0	To maintain this rating, scores at the 7 day reading must be zero; otherwise, increase rating one level.
Moderately irritating	>25.0-50.0	To maintain this rating, scores at the 7 day reading must be less than or equal to 10 for 60% or more of the animals; also, the 7 day mean score must be less than or equal to 20. If the 7 day mean score is less than or equal to 20, but less than 60% of the animals show scores less than or equal to 10, then no animal with a score greater than 10 can exceed a score of 30 if rating is to be maintained; otherwise, increase rating one level.
Severely irritating	>50.0-80.0	To maintain this rating, scores at the 7 day reading must be less than or equal to 30 for 60% or more of the animals; also, the 7 day mean score must be less than or equal to 40. If the 7 day mean score is less than or equal to 40, but less than 60% of the animals show scores less than or equal to 30, then no animal with a score greater than 30 can exceed a score of 60 if rating is to be maintained; otherwise, increase rating one level.
Extremely irritating	>80.0-110.0	

NOTE: The rating of the test substance is not to be increased more than one level above its maximum average score.

* - Slightly modified from: Kay, J.H. and Calandra, J.C. (1962) Interpretation of Eye Irritation Tests. J. Soc. Cosmetic Chemists 13:281-289.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da EMPRESA DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 2 Analytical Report

syngenta

A16148F
Batch ID 533158 (GP-080305)

Batch Identification	533158
Product Design Code	A16148F
Product Denomination	SYN524464 FS (500)
Product by Common Name	SYN524464 FS (500)
Other Product Code(s)	GP-080305
Source	Technology & Projects, Syngenta Crop Protection, Inc.
Chemical Analysis (Active Ingredient Content)	
Identity of the Active Ingredient*	Confirmed
Content of SYN524464*	45.6% (wt/wt) or 534 g/L
Methodology Used for Characterization	HPLC
The Active Ingredient content is within the FAO limits.	
Physical Analysis	
Appearance*	pink opaque liquid
Density*	1171 g/L
Stability:	
Storage Temperature	< 30°C
Expiration date	March 2009

The stability of this test substance will be determined concurrently through reanalysis of material held in inventory under GLP conditions at Syngenta Crop Protection, Inc., Greensboro, NC

This Certificate of Analysis is summarizing data (marked with an asterisk) from a study that has been performed in compliance with Good Laboratory Practices per 40 CFR Part 160. Raw data, documentation, protocols, any amendments to study protocols and reports pertaining to this study are maintained in the Syngenta Crop Protection Archives in Greensboro, NC.

Authorization:



Dorothea Jaffer
Group Leader I
Analytical & Product Chemistry Department

26 Mar 2008
Date

Document 10350420.doc
Page 1 of 1

Certificate of Analysis
Study T000973-08

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da Syngenta Crop Protection, Inc. ou de uma de suas subsidiárias, incluindo Syngenta Crop Protection, Inc. e Syngenta Crop Protection, Inc. de Cultivos LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, IV, da Lei 9.279/96.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente