

++++
ENVIGO

SYN549522

**SYN549522 SC (A22011B) - *Salmonella Typhimurium* and
Escherichia Coli Reverse Mutation Assay**

Final Report

DATA REQUIREMENT(S): OECD 471 (1997)

AUTHOR(S): Dr. Steffi Chang

COMPLETION DATE: 12 April 2019

PERFORMING LABORATORY: Envigo CRS GmbH
In den Leppsteinswiesen 19
64380 Rossdorf, Germany

LABORATORY PROJECT ID: Report Number: 1913500
Study Number: 1913500
Task Number: TK0317165

SPONSOR(S): Syngenta Ltd.
Jealott's Hill International Research Centre
Bracknell, Berkshire RG42 6EY, United Kingdom

VOLUME 1 OF 1 OF STUDY
PAGE 1 OF 40

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

STATEMENT OF DATA CONFIDENTIALITY CLAIMS

This page is intentionally left blank.

CONFIDENTIAL
Property of Syngenta

syngenta®

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV

Report Number: 1913500

Page 2 of 40

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT

This study performed in the test facility of Envigo CRS GmbH, In den Leppsteinswiesen 19, 64380 Rossdorf, Germany was conducted in compliance with Good Laboratory Practice Regulations:

Chemikaliengesetz (Chemicals Act) of the Federal Republic of Germany, "Anhang 1" (Annex 1), in its currently valid version

OECD Principles of Good Laboratory Practice, as revised in 1997 [C(97)186/Final]

EC Commission Directive 2004/10/EC

These procedures are compatible with Good Laboratory Practice regulations specified by regulatory authorities throughout the European Community, the United States (EPA and FDA), and Japan (MHW, MAFF, and METI), and other countries that are signatories to the OECD Mutual Acceptance of Data Agreement.

There were no circumstances that may have affected the quality or integrity of the study.

Dr. Steffi Chang
Study Director Bacterial Systems


.....
Date: 12 April 2019

Performing Laboratory:
Envigo CRS GmbH
In den Leppsteinswiesen 19
64380 Rossdorf, Germany

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96. É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

FLAGGING STATEMENT

This page is intentionally left blank.

CONFIDENTIAL
Property of Syngenta



RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS
Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV
Report Number: 1913500
É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.
Todos os infratores poderão ser processados civil e criminalmente

QUALITY ASSURANCE STATEMENT

Envigo Study Number: 1913500
Test substance: SYN549522 SC (A22011B)
Study director: Dr. Steffi Chang
Study Title: SYN549522 SC (A22011B) -
Salmonella Typhimurium and
Escherichia Coli Reverse Mutation Assay

Study based activities at the Test Facility Envigo CRS GmbH were audited and inspected. The details of these audits and inspections are given below.

Type of Inspection	Date(s) of Inspection	Date Reporting to Study Director, Test Facility Management
Study Plan Verification	19 July 2018	19 July 2018
Study Plan Amendment 1 Verification	05 March 2019	05 March 2019
Process – based Test Item Preparation	12 July 2018	12 July 2018
Report Audit	05 September 2018	05 September 2018

In addition, process based inspections were conducted of other routine and repetitive procedures employed on this type of study at or about the time the study was in progress.

General facilities and activities where this study was conducted were inspected on an annual basis and results are reported to the relevant responsible person and Management.

The statement is to confirm, that this report reflects the raw data.



12 April 2019

H. Pilawa
Quality Assurance Auditor
Envigo CRS GmbH

Date

PROJECT STAFF SIGNATURE

Study Director

Dr. Steffi Chang



.....
Date: 12 April 2019

CONFIDENTIAL
Property of Syngenta



RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS
Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96.
É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.
Todos os infratores poderão ser processados civil e criminalmente

GENERAL INFORMATION

Contributors

The following contributed to this report in the capacities indicated:

Name	Title
Dr. Steffi Chang	Study Director
Dr. Markus Schulz	Management
Frauke Hermann	Head of Quality Assurance Unit
Dr. Eva Lessmann	Syngenta Study Manager

Study Dates

Study initiation date:	19 July 2018
Experimental start date:	20 July 2018
Experimental completion date:	01 August 2018

Deviations from the Guidelines

None

Retention of Samples

None

Performing Laboratory Test Substance Reference Number

S 1983911

Other

Envigo CRS will archive:

Records and documentation relating to this study will be maintained in the archives of Envigo CRS GmbH for a period of 4 years from the date on which the Study Director signs the final report. This will include electronic and paper raw data, and report that support the reconstruction of the study.

At termination of the aforementioned period, the records and documentation will be transferred to the GLP compliant Archive of Envigo CRS (Switzerland) Ltd. at Füllinsdorf, Switzerland, for further archiving up to a total archiving period of 15 years.

A sample of the test item will not be archived.

Envigo will retain in its archive a copy of the study plan and final report, and any amendments indefinitely.

Deviations from the study plan

There were no deviations (unplanned changes) from the study plan.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV

Report Number: 1913500

Page 7 of 40

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

Distribution of the report

Sponsor

2 × electronic copy (1 × pdf-file, 1 × Word-file)

Study Director

1 × (original)

CONFIDENTIAL
Property of Syngenta

syngenta®

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV

Report Number: 1913500

Page 8 of 40

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE OF CONTENTS

STATEMENT OF DATA CONFIDENTIALITY CLAIMS		2
GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT		3
FLAGGING STATEMENT		4
QUALITY ASSURANCE STATEMENT		5
PROJECT STAFF SIGNATURE		6
GENERAL INFORMATION		7
TABLE OF CONTENTS		9
1.0	EXECUTIVE SUMMARY	11
1.1	Study Design	11
1.2	Results	11
1.3	Conclusion.....	11
2.0	INTRODUCTION	12
2.1	Purpose.....	12
2.2	Regulatory Guidelines.....	12
3.0	MATERIALS AND METHODS	13
3.1	Test Substance.....	13
3.2	Controls	14
3.2.1	Negative controls	14
3.2.2	Positive control substances	14
3.3	Experimental Design.....	15
3.3.1	Characterisation of the Salmonella typhimurium and E. coli strains.....	15
3.3.2	Storage.....	16
3.3.3	Precultures.....	16
3.3.4	Selective agar	16
3.3.5	Overlay agar	16
3.4	Mammalian Microsomal Fraction S9 Mix.....	16
3.4.1	S9 (Preparation by Envigo CRS)	16
3.4.2	S9 mix	17
3.5	Pre-Experiment for Cytotoxicity.....	17
3.6	Concentration Selection	18
3.7	Experimental Performance.....	18
3.8	Data Evaluation	18
3.8.1	Data recording.....	18

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 9 of 40

Todos os infratores poderão ser processados civil e criminalmente

3.8.2	Acceptability of the assay	19
3.8.3	Evaluation of results.....	19
3.8.4	Biometry.....	19
3.9	Major Computerized System.....	19
4.0	RESULTS AND DISCUSSION	20
5.0	CONCLUSIONS	21
6.0	REFERENCES	22
TABLES SECTION		23
TABLE 1	Summary of Results Pre-Experiment/Experiment I.....	24
TABLE 2	Summary of Results Experiment II.....	25
TABLE 3	Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation Without Metabolic Activation.....	26
TABLE 4	Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation With Metabolic Activation.....	29
TABLE 5	Experiment II: 1913500 HV2 Pre Incubation Without Metabolic Activation.....	32
TABLE 6	Experiment II: 1913500 HV2 Pre Incubation With Metabolic Activation.....	34
APPENDICES SECTION		36
APPENDIX 1	Historical Control Data	37
APPENDIX 2	Copy of GLP Certificate	38
APPENDIX 3	Certificate of S9	39
APPENDIX 4	Certificate of Analysis.....	40

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 10 of 40

Todos os infratores poderão ser processados civil e criminalmente

1.0 EXECUTIVE SUMMARY

1.1 Study Design

This study was performed to investigate the potential of SYN549522 SC (A22011B) to induce gene mutations in the plate incorporation test (Experiment I) and the pre-incubation test (Experiment II) using the *Salmonella typhimurium* (*S. typhimurium*) strains TA1535, TA1537, TA98, and TA100, and the *Escherichia coli* (*E. coli*) strains WP2 *uvrA* (pKM101) and WP2 (pKM101).

1.2 Results

The plates incubated with the test item showed normal background growth up to the maximal concentration of 5000 µg/plate with and without S9 mix in all strains used.

No cytotoxic effects, evident as a reduction in the number of revertants (below the indication factor of 0.5), occurred in all strains with and without metabolic activation.

No relevant increase in revertant colony numbers of any of the six tester strains was observed following treatment with SYN549522 SC (A22011B) at any concentration level, neither in the presence nor absence of metabolic activation (S9 mix). There was also no observed tendency of higher mutation rates with increasing concentrations in the range below the generally acknowledged border of biological relevance.

Appropriate reference mutagens were used as positive controls, which showed a distinct increase of induced revertant colonies indicating the correct performance of the assay.

1.3 Conclusion

In conclusion, it can be stated that during the described mutagenicity tests and under the experimental conditions reported, SYN549522 SC (A22011B) did not induce gene mutations by base pair changes or frameshifts in the genome of the strains used.

Therefore, SYN549522 SC (A22011B) is considered to be non-mutagenic in the *Salmonella typhimurium* and *Escherichia coli* reverse mutation assay.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do Código de Defesa do Consumidor.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

2.0 INTRODUCTION

2.1 Purpose

These experiments were performed to assess the potential of the test substance to induce gene mutations by means of the *S. typhimurium* and *E. coli* reverse mutation assay. Experiment I was performed as a plate incorporation assay. Since a negative result was obtained in this experiment, Experiment II was performed as a pre-incubation assay.

The most widely used assays for detecting gene mutations are those using bacteria (1). They are relatively simple and rapid to perform, and give reliable data on the ability of an agent to interact with DNA and produce mutations.

Reverse mutation assays determine the frequency with which an agent reverses or suppresses the effect of the forward mutation. The genetic target presented to an agent is therefore small, specific and selective. Several bacterial strains, or a single strain with multiple markers are necessary to assure reliable detection of mutagens that may be specific to one tester strain or locus. The reversion of bacteria from growth-dependence on a particular amino acid to growth in the absence of that amino acid (reversion from auxotrophy to prototrophy) is the most widely used marker.

The *S. typhimurium* histidine (his) and the *E. coli* tryptophan (trp) reversion system measures his⁻ → his⁺ and trp⁻ → trp⁺ reversions, respectively. The *S. typhimurium* and *E. coli* strains are constructed to differentiate between base pair (TA1535, TA100, WP2 *uvrA* (pKM101), and WP2 (pKM101)) and frameshift (TA1537, TA98) mutations.

According to the direct plate incorporation and pre-incubation method the bacteria are exposed to the test substance with and without metabolic activation and plated on selective medium. After a suitable period of incubation, revertant colonies are counted.

To establish a concentration response effect at least six concentrations with adequately spaced intervals were tested. The maximum concentration was 5000 µg/plate.

To validate the test, reference mutagens were tested in parallel to the test substance.

2.2 Regulatory Guidelines

This study followed the procedures indicated by the following internationally accepted guideline and recommendations:

“Ninth Addendum to OECD Guidelines for Testing of Chemicals”, Section 4, No. 471:
“Bacterial Reverse Mutation Test”, adopted July 21, 1997

3.0 MATERIALS AND METHODS

3.1 Test Substance

Information as provided by the Sponsor.

Identification:	SYN549522 SC (A22011B)
Product Code:	A22011B
Batch:	SMU7JP001
Content of SYN549522:	38.1% w/w corresponding to 448 g/L
Content of SYN547386:	34.3% w/w corresponding to 403 g/L
Content of SYN548941:	3.83% w/w corresponding to 45.0 g/L
Appearance:	Beige liquid
Recertification Date:	30 November 2020
Storage Conditions:	At room temperature
Stability in Solvent:	Not indicated by the Sponsor

The test substance concentrations were not adjusted for the content of SYN549522 SC (A22011B).

In a preliminary solubility trial several solvents (e.g. deionised water, DMSO, DMF, ethanol, and acetone) were used to find a suitable one to prepare an applicable test item preparation. Deionised water was found to be the most suitable one. On the day of the experiment, the test substance SYN549522 SC (A22011B) was suspended in deionised water. The solvent was chosen because of its relative non-toxicity to the bacteria (2).

All formulations were prepared freshly before treatment and used within two hours of preparation. The formulation was assumed to be stable for this period unless specified otherwise by the Sponsor.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.2 Controls

3.2.1 Negative controls

Concurrent untreated and solvent controls were performed.

3.2.2 Positive control substances

Without metabolic activation

Strains:	TA1535, TA100
Name:	Sodium azide, (NaN ₃)
Supplier:	SERVA, 69042 Heidelberg, Germany
Batch No.:	150564
Purity:	≥ 99%
Dissolved in:	Deionised water
Concentration:	10 µg/plate
Strains:	TA1537, TA98
Name:	4-nitro- <i>o</i> -phenylene-diamine, (4-NOPD)
Supplier:	Sigma-Aldrich, 82024 Taufkirchen, Germany
Batch No.:	MKBM 5257V
Purity:	≥ 99%
Dissolved in:	Dimethylsulfoxide (DMSO purity >99 %), Fisher Leics LE11 5RG, United Kingdom
Concentration:	10 µg/plate in strain TA 98, 50 µg/plate in strain TA 1537
Strains:	WP2 <i>uvrA</i> (pKM101), WP2 (pKM101)
Name:	Methyl methane sulfonate, (MMS)
Supplier:	Sigma-Aldrich, 82024 Taufkirchen, Germany
Batch No.:	MKBX 5165V
Purity:	≥ 99%
Dissolved in:	Deionised water
Concentration:	2.0 µL/plate

With metabolic activation

Strains:	TA1535, TA1537, TA98, TA100, WP2 <i>uvrA</i> (pKM101), WP2 (pKM 101)
Name:	2-aminoanthracene, (2-AA)
Supplier:	Sigma-Aldrich, 82024 Taufkirchen, Germany
Batch No.:	STBD 3302V
Purity:	≥ 96%
Dissolved in:	Dimethylsulfoxide (DMSO purity >99 %), Fisher Leics LE11 5RG, United Kingdom
Concentration:	2.5 µg/plate (TA1535, TA1537, TA98, TA100), 10 µg/plate (WP2 <i>uvrA</i> (pKM101), WP2 (pKM101))

The stability of the positive control substances in solution is unknown but a mutagenic response in the expected range is sufficient evidence of biological activity.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.3 Experimental Design

3.3.1 Characterisation of the *Salmonella typhimurium* and *E. coli* strains

The histidine dependent strains are derived from *S. typhimurium* strain LT2 through mutations in the histidine locus. Additionally, due to the "deep rough" (*rfa*⁻) mutation they possess a faulty lipopolysaccharide envelope which enables substances to penetrate the cell wall more easily. A further mutation causes a reduction in the activity of an excision repair system. The last alteration includes mutational processes in the nitrate reductase and biotin genes produced in a UV-sensitive area of the gene named *uvrB*⁻. In the strains TA98 and TA100 the R-factor plasmid pKM101 carries the ampicillin resistance marker (3).

Strain WP2 (4) and its derivatives all carry the same defect in one of the genes for tryptophan biosynthesis. Tryptophan-independent (*Trp*⁺) mutants (revertants) can arise either by a base change at the site of the original alteration or by a base change elsewhere in the chromosome so that the original defect is suppressed. This second possibility can occur in several different ways so that the system seems capable of detecting all types of mutagen which substitute one base for another. Additionally, the *uvrA* derivative is deficient in the DNA repair process (excisable repair damage). Such a repair-deficient strain may be more readily mutated by agents. The *E. coli* strains WP2 *uvrA* (pKM101) and WP2 (pKM101) are constructed by introduction of the R-factor plasmid pKM101.

When summarized, the mutations of the *S. typhimurium* and *E. coli* strains used in this study can be described as follows:

Strains	Genotype	Type of mutations indicated
<i>Salmonella typhimurium</i>		
TA1537	<i>his C 3076; rfa</i> ⁻ ; <i>uvrB</i> ⁻	frame shift mutations
TA98	<i>his D 3052; rfa</i> ⁻ ; <i>uvrB</i> ⁻ ; R-factor	" "
TA1535	<i>his G 46; rfa</i> ⁻ ; <i>uvrB</i> ⁻	base-pair substitutions
TA100	<i>his G 46; rfa</i> ⁻ ; <i>uvrB</i> ⁻ ; R-factor	" "
<i>Escherichia coli</i>		
WP2 <i>uvrA</i> (pKM101)	<i>trp E 56 uvrA</i> ; R-factor	base-pair substitutions and others
WP2 (pKM101)	<i>trp E 56</i> ; R-factor	" "

Regular checking of the properties of the *S. typhimurium* and *E. coli* strains regarding the membrane permeability and ampicillin resistance; UV sensitivity, and amino acid requirement as well as normal spontaneous mutation rates is performed by Envigo CRS GmbH according to Ames *et al.* (5), Maron and Ames (3), and Mortelmans and Riccio (7). In this way it is ensured that the experimental conditions set down by Ames are fulfilled.

The bacterial strains TA1535, TA1537, TA98, TA100, WP2 *uvrA* (pKM101), and WP2 (pKM101) were obtained from Trinova Biochem GmbH (35394 Gießen, Germany).

3.3.2 Storage

The strain cultures were stored as stock cultures in ampoules with nutrient broth + 5 % DMSO in liquid nitrogen.

3.3.3 Precultures

The thawed bacterial suspension was transferred into 250 mL Erlenmeyer flasks containing nutrient medium (50 mL). A solution of ampicillin (50 μ L, 25 μ g/mL) was added to the strains TA98, TA100, WP2 *uvrA* (pKM101), and WP2 (pKM101). This nutrient medium contains per liter:

- 8 g Nutrient Broth (MERCK, 64293 Darmstadt, Germany)
- 5 g NaCl (MERCK, 64293 Darmstadt, Germany)

The bacterial cultures were incubated in a shaking water bath for 4 hours at 37 °C. The optical density of the bacteria was determined by absorption measurement and the obtained values indicated that the bacteria were harvested at the late exponential or early stationary phase (10^8 - 10^9 cells/mL).

3.3.4 Selective agar

Plates with selective agar (without Histidine/Tryptophan) were used.

3.3.5 Overlay agar

The overlay agar contained per litre:

for *Salmonella* strains:

7.0 g Agar Agar*

6.0 g NaCl*

10.5 mg L-Histidine \times HCl \times H₂O*

12.2 mg Biotin*

* (MERCK, 64293 Darmstadt, Germany)

Sterilisations were performed at 121 °C in an autoclave.

for *Escherichia coli* strains:

7.0 g Agar Agar*

6.0 g NaCl*

10.2 mg Tryptophan*

3.4 Mammalian Microsomal Fraction S9 Mix

The bacteria used in this assay do not possess the enzyme systems which, in mammals, are known to convert promutagens into active DNA damaging metabolites. In order to overcome this major drawback an exogenous metabolic system is added in the form of mammalian microsome enzyme activation mixture.

3.4.1 S9 (Preparation by Envigo CRS)

Phenobarbital/ β -naphthoflavone induced rat liver S9 was used as the metabolic activation system. The S9 was prepared from male Wistar rats (RjHan:WI; weight approx. 220 – 320 g,

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

Report Number: 1913500

Page 16 of 40

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

Janvier Labs, 53941 Saint-Berthevin Cedex, France) induced by peroral administration of 80 mg/kg b.w. phenobarbital (Sigma-Aldrich Chemie GmbH, 82024 Taufkirchen, Germany) and by peroral administrations of β -naphthoflavone (Acros Organics, 2440 Geel, Belgium) each, on three consecutive days. The livers were prepared 24 hours after the last treatment. The S9 fractions were produced by dilution of the liver homogenate with a KCl solution (1+3 parts) followed by centrifugation at 9000 g. Aliquots of the supernatant were frozen and stored in ampoules at -80°C . Small numbers of the ampoules can be kept at -20°C for up to one week. Each batch of S9 mix is routinely tested with 2-aminoanthracene as well as benzo[a]pyrene (Appendix 3).

The protein concentration in the S9 preparation was 31.7 mg/mL (lot no. 080318B) in both experiments.

3.4.2 S9 mix

Before the experiment an appropriate quantity of S9 supernatant was thawed and mixed with S9 cofactor solution. The amount of S9 supernatant was 10% v/v in the S9 mix. Cofactors were added to the S9 mix to reach the following concentrations in the S9 mix:

8 mM MgCl_2
33 mM KCl
5 mM Glucose-6-phosphate
4 mM NADP

in 100 mM sodium-ortho-phosphate-buffer, pH 7.4.

During the experiment the S9 mix was stored in an ice bath. The S9 mix preparation was performed according to Ames *et al.* (5).

3.5 Pre-Experiment for Cytotoxicity

To evaluate the cytotoxicity of the test substance a pre-experiment was performed with all strains. Eight concentrations were tested for cytotoxicity and mutation induction each with three replicate plates. The experimental conditions in this pre-experiment are described in section 3.7 (plate incorporation test).

Cytotoxicity of the test substance results in a reduction in the number of spontaneous revertants (below a factor of 0.5) or a clearing of the bacterial background lawn.

The pre-experiment is reported as the Main Experiment I since the criteria mentioned in Section 3.8.2 Acceptability of the Assay were met.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

3.6 Concentration Selection

In the pre-experiment the concentration range of the test substance was 3 - 5000 µg/plate. The pre-experiment is reported as Experiment I. Since no cytotoxic effects were observed 5000 µg/plate was chosen as the maximal concentration in Experiment II.

The concentration range included two logarithmic decades. The following concentrations were tested in experiment II:

33; 100; 333; 1000; 2500; and 5000 µg/plate

3.7 Experimental Performance

For each strain and concentration including the controls, three plates were used.

The following materials were mixed in a test tube and poured onto the selective agar plates:

- 100 µL Test solution at each concentration, solvent (negative control) or reference mutagen solution (positive control),
- 500 µL S9 mix (for test with metabolic activation) or S9 mix substitution buffer* (for test without metabolic activation),
- 100 µL Bacteria suspension (cf. test system, pre-culture of the strains; OD = 0.9 - 1.2; wavelength = 500 nm; approx. 8×10^8 cells/mL),
- 2000 µL Overlay agar

For the pre-incubation method test solution (100 µL) (solvent or reference mutagen solution (positive control)), S9 mix / S9 mix substitution buffer* (500 µL) and bacteria suspension (100 µL) were mixed in a test tube and incubated at 37 °C for 60 minutes. After pre-incubation overlay agar (2.0 mL, 45 °C) was added to each tube. The mixture was poured on selective agar plates.

After solidification the plates were incubated upside down for 72 hours at 37 °C in the dark, plates were then stored at 4 °C until counted (6).

In parallel to each test a sterile control of the test substance was performed and documented in the raw data. Therefore, stock solution (100 µL) and S9 mix / S9 mix substitution buffer* (500 µL) were mixed with overlay agar (2.0 mL) and poured on minimal agar plates.

* Substitution buffer: 7 parts of the 100 mM sodium-ortho-phosphate-buffer pH 7.4 with 3 parts of KCl solution 0.15 M

3.8 Data Evaluation

3.8.1 Data recording

The colonies were counted using a Petri Viewer with the software program Ames Study Manager (see section 3.9, Major computerized systems). The evaluation unit was connected to a PC with printer to print out the individual values, the means from the plates for each

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X da

Report Number: 1913500

Page 18 of 40

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

concentration together with standard deviations and enhancement factors as compared to the spontaneous reversion rates (see tables of results). The print outs are kept with the raw data.

3.8.2 Acceptability of the assay

The *Salmonella typhimurium* and *Escherichia coli* reverse mutation assay is considered acceptable if it meets the following criteria:

- regular background growth in the negative and solvent control
- the spontaneous reversion rates in the negative and solvent control are in the range of the historical data
- the positive control substances should produce an increase in mutant colony frequencies of at least 2-fold concurrent control
- a minimum of five analysable concentrations should be present with at least four showing no signs of toxic effects, evident as a reduction in the number of revertants below the indication factor of 0.5.

3.8.3 Evaluation of results

A test substance is considered as a mutagen if a biologically relevant increase in the number of revertants of twice or above the spontaneous mutation rate of the corresponding solvent control is observed (1).

A concentration dependent increase is considered biologically relevant if the threshold is reached or exceeded at more than one concentration (6).

An increase of revertant colonies equal or above the threshold at only one concentration is judged as biologically relevant if reproduced in an independent second experiment.

A concentration dependent increase in the number of revertant colonies below the threshold is regarded as an indication of a mutagenic potential if reproduced in an independent second experiment. However, whenever the colony counts remain within the historical range of negative and solvent controls, such an increase is not considered biologically relevant.

3.8.4 Biometry

According to the OECD guideline 471, a statistical analysis of the data is not mandatory.

3.9 Major Computerized System

Petri Viewer Sorcerer Colony Counter 3.0 (Perceptive Instruments Ltd., Suffolk CB9 7BN, UK) with the software program Ames Study Manager (v1.24) and Ames Archive Manager (v1.01).

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do Código de Defesa do Consumidor.

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

4.0 RESULTS AND DISCUSSION

The test substance, SYN549522 SC (A22011B), was assessed for its potential to induce gene mutations in the plate incorporation test (Experiment I) and the pre-incubation test (Experiment II) using *S. typhimurium* strains TA1535, TA1537, TA98, and TA100, and the *E. coli* strains WP2 (pKM101) and WP2 *uvrA* (pKM101).

In the pre-experiment the concentration range of the test substance tested was 3 - 5000 µg/plate. The pre-experiment is reported as Experiment I since the acceptability criteria of the assay were met. Since no cytotoxic effects were observed, 5000 µg/plate was chosen as the maximal concentration in Experiment II.

The assay was performed with and without liver microsomal activation. Each concentration, including the controls, was tested in triplicate. The concentration range included two logarithmic decades. The test substance was tested at the following concentrations:

Pre-Experiment/Experiment I: 3; 10; 33; 100; 333; 1000; 2500; and 5000 µg/plate

Experiment II: 33; 100; 333; 1000; 2500; and 5000 µg/plate

The test item precipitated in the overlay agar in the test tubes from 1000 to 5000 µg/plate. Precipitation of the test item in the overlay agar on the incubated agar plates was observed from 2500 to 5000 µg/plate. The undissolved particles had no influence on the data recording.

The plates incubated with the test item showed normal background growth up to the maximal dose of 5000 µg/plate with and without S9 mix in all strains used.

No cytotoxic effects, evident as a reduction in the number of revertants (below the indication factor of 0.5), occurred in the test groups with and without metabolic activation.

No substantial increase in revertant colony numbers in any of the six tester strains was observed following treatment with SYN549522 SC (A22011B) at any concentration level, neither in the presence nor absence of metabolic activation (S9 mix). There was also no tendency of higher mutation rates with increasing concentrations in the range below the generally acknowledged border of biological relevance.

Appropriate reference mutagens were used as positive controls. They showed a distinct increase in induced revertant colonies indicating the correct performance of the assay.

In Experiment II the historical range of positive controls was not quite reached in strain WP2 (pKM101) with metabolic activation (1013 versus 1055 colonies). This minor effect was judged to represent normal biological fluctuation. Since the threshold of twice the number of the corresponding solvent control was exceeded (factor of 3.3), the test was considered valid.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X da

Report Number: 1913500

Page 20 of 40

E proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

5.0 CONCLUSIONS

In conclusion, it can be stated that during the described mutagenicity tests and under the experimental conditions reported, SYN549522 SC (A22011B) did not induce gene mutations by base pair changes or frameshifts in the genome of the strains used.

Therefore, SYN549522 SC (A22011B) is considered to be non-mutagenic in the *Salmonella typhimurium* and *Escherichia coli* reverse mutation assay.

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do Código de Processo Penal.

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

6.0 REFERENCES

1. Hollstein, M., J. McCann, F.A. Angelosanto, and W.W. Nichols (1979)
Short-term tests for carcinogens and mutagens
Mutation Res. 65, 133-226
2. Maron, D.M., J. Katzenellenbogen, and B.N. Ames (1981)
Compatibility of organic solvents with the Salmonella/Microsome Test
Mutation Res. 88, 343-350
3. Maron, D.M. and B.N. Ames (1983)
Revised methods for the Salmonella mutagenicity test
Mutation Res. 113, 173-215
4. Green, M.H.L. and W.J. Muriel (1976)
Mutagen Testing Using TRP⁺ Reversion in Escherichia Coli
Mutation Res. 38, 3-32
5. Ames, B.N., J. McCann, and E. Yamasaki (1977)
Methods for detecting carcinogens and mutagens with the Salmonella/mammalian
microsome mutagenicity test
In: B.J. Kilbey et al. (Eds.) "Handbook of Mutagenicity Test Procedures" Elsevier,
Amsterdam, 1-17
6. de Serres, F.J. and M.D. Shelby (1979)
Recommendations on data production and analysis using the Salmonella/microsome
mutagenicity assay
Mutation Res. 64, 159-165
7. Mortelmans, K. and E.S. Riccio (2000)
The bacterial tryptophan reverse mutation assay with Escherichia coli WP2
Mutation Res. 455, 61-69

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLES SECTION

CONFIDENTIAL
Property of Syngenta



RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do Código Penal Brasileiro. É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Report Number: 1913500

Page 23 of 40

Todos os infratores poderão ser processados civil e criminalmente

TABLE 1 Summary of Results Pre-Experiment/Experiment I

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

Metabolic Activation	Test Group	Dose Level (per plate)	Revertant Colony Counts (Mean ±SD)						
			TA 1535	TA 1537	TA 98	TA 100	WP2 pKM101	WP2 uvrA pKM101	
Without Activation	Deionised water		13 ± 4	12 ± 4	25 ± 6	183 ± 9	288 ± 21	352 ± 21	
	Untreated		14 ± 4	17 ± 2	27 ± 6	182 ± 21	304 ± 25	337 ± 17	
	SYN549522	3 µg	16 ± 4	13 ± 3	26 ± 5	181 ± 12	288 ± 9	360 ± 8	
	SC (A22011B)	10 µg	17 ± 2	14 ± 2	25 ± 5	201 ± 7	279 ± 6	342 ± 8	
		33 µg	15 ± 3	13 ± 3	25 ± 3	194 ± 23	237 ± 11	357 ± 7	
		100 µg	16 ± 3	14 ± 3	29 ± 5	202 ± 7	267 ± 36	374 ± 20	
		333 µg	12 ± 3	13 ± 3	33 ± 7	198 ± 9	273 ± 23	333 ± 18	
		1000 µg	13 ± 2	13 ± 3	29 ± 3	204 ± 7	306 ± 5	344 ± 25	
		2500 µg	11 ± 4 ^P	12 ± 3 ^P	26 ± 10 ^P	196 ± 3 ^P	306 ± 18 ^P	338 ± 24 ^P	
		5000 µg	12 ± 3 ^P	13 ± 3 ^P	30 ± 7 ^P	194 ± 8 ^P	267 ± 22 ^P	310 ± 32 ^P	
		Na3	10 µg	1241 ± 23			1599 ± 56		
		4-NOPD	10 µg			382 ± 22			
		4-NOPD	50 µg		72 ± 8				
		MMS	2.0 µL				3271 ± 224	3171 ± 159	
With Activation	Deionised water		15 ± 4	15 ± 6	33 ± 2	186 ± 16	311 ± 26	364 ± 15	
	Untreated		17 ± 4	15 ± 3	47 ± 2	193 ± 17	309 ± 29	360 ± 14	
	SYN549522	3 µg	14 ± 4	16 ± 1	37 ± 8	193 ± 11	325 ± 15	366 ± 7	
	SC (A22011B)	10 µg	15 ± 3	13 ± 2	38 ± 4	200 ± 23	303 ± 16	347 ± 6	
		33 µg	14 ± 2	17 ± 2	35 ± 8	194 ± 16	297 ± 5	381 ± 22	
		100 µg	15 ± 4	16 ± 2	35 ± 8	199 ± 10	300 ± 16	369 ± 22	
		333 µg	15 ± 1	14 ± 3	41 ± 6	193 ± 19	316 ± 30	393 ± 19	
		1000 µg	13 ± 5	16 ± 2	39 ± 7	189 ± 8	268 ± 15	380 ± 16	
		2500 µg	14 ± 4 ^P	16 ± 1 ^P	42 ± 6 ^P	201 ± 22 ^P	267 ± 23 ^P	370 ± 17 ^P	
		5000 µg	15 ± 4 ^P	17 ± 2 ^P	40 ± 5 ^P	213 ± 3 ^P	287 ± 36 ^P	372 ± 23 ^P	
		2-AA	2.5 µg	242 ± 8	424 ± 23	2413 ± 420	3001 ± 159		
	2-AA	10.0 µg				1333 ± 139	1719 ± 56		

Key to Positive Controls

Na3 sodium azide
 2-AA 2-aminoanthracene
 4-NOPD 4-nitro-o-phenylene-diamine
 MMS methyl methane sulfonate

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do

É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 2 Summary of Results Experiment II

Study Name: 1913500
 Experiment: 1913500 HV2 Pre
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 25.07.2018
 Date Counted: 01.08.2018

Metabolic Activation	Test Group	Dose Level (per plate)	Revertant Colony Counts (Mean ±SD)					
			TA 1535	TA 1537	TA 98	TA 100	WP2 pKM101	WP2 uvrA pKM101
Without Activation	Deionised water		12 ± 4	15 ± 3	27 ± 4	184 ± 9	271 ± 30	326 ± 21
	Untreated		13 ± 3	11 ± 1	23 ± 3	193 ± 15	256 ± 12	322 ± 21
	SYN549522	33 µg	12 ± 3	15 ± 5	27 ± 10	183 ± 17	264 ± 26	324 ± 16
	SC (A22011B)	100 µg	12 ± 2	12 ± 3	31 ± 3	199 ± 10	265 ± 7	325 ± 10
		333 µg	14 ± 2	12 ± 2	27 ± 5	178 ± 14	253 ± 3	315 ± 15
		1000 µg	11 ± 1	9 ± 3	31 ± 8	199 ± 23	273 ± 15	358 ± 36
		2500 µg	10 ± 1 ^P	11 ± 1 ^P	28 ± 2 ^P	200 ± 12 ^P	231 ± 23 ^P	344 ± 18 ^P
		5000 µg	12 ± 2 ^P	14 ± 1 ^P	24 ± 2 ^P	173 ± 16 ^P	218 ± 29 ^P	324 ± 35 ^P
	NaN3	10 µg	1052 ± 34			1532 ± 101		
	4-NOPD	10 µg			412 ± 6			
With Activation	Deionised water		11 ± 4	19 ± 4	45 ± 8	205 ± 3	303 ± 12	351 ± 24
	Untreated		15 ± 5	12 ± 4	57 ± 20	207 ± 28	293 ± 32	370 ± 10
	SYN549522	33 µg	13 ± 4	16 ± 4	45 ± 10	205 ± 30	318 ± 4	352 ± 13
	SC (A22011B)	100 µg	13 ± 3	14 ± 3	52 ± 6	205 ± 11	315 ± 20	367 ± 9
		333 µg	11 ± 1	17 ± 3	38 ± 6	186 ± 2	296 ± 15	358 ± 21
		1000 µg	12 ± 3	19 ± 3	42 ± 10	212 ± 11	282 ± 32	380 ± 19
		2500 µg	12 ± 3 ^P	16 ± 5 ^P	39 ± 12 ^P	217 ± 20 ^P	314 ± 24 ^P	365 ± 16 ^P
		5000 µg	12 ± 4 ^P	18 ± 3 ^P	40 ± 6 ^P	197 ± 34 ^P	298 ± 9 ^P	343 ± 22 ^P
	2-AA	2.5 µg	182 ± 21	281 ± 21	1653 ± 160	2498 ± 92		
	2-AA	10.0 µg					1013 ± 5	1740 ± 309

Key to Positive Controls

NaN3 sodium azide
 2-AA 2-aminoanthracene
 4-NOPD 4-nitro-o-phenylene-diamine
 MMS methyl methane sulfonate

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, X do Código Penal Brasileiro. É proibida a revelação ou divulgação, e vedado o uso, ainda que parcial ou por vias indiretas, a terceiros não autorizados.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 3 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation Without Metabolic Activation

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

Without metabolic activation						
Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	SYN549522 SC (A22011B)	3 µg	16.0	3.6	1.2	17, 12, 19
		10 µg	16.7	2.1	1.3	15, 19, 16
		33 µg	14.7	3.2	1.1	17, 16, 11
		100 µg	16.0	2.6	1.2	15, 19, 14
		333 µg	11.7	3.1	0.9	15, 11, 9
		1000 µg	13.3	2.1	1.0	15, 14, 11
		2500 µg	10.7	3.5	0.8	14 P, 7 P, 11 P
		5000 µg	12.0	3.0	0.9	15 P, 9 P, 12 P
		Deionised water Untreated Control		13.7	4.2	
TA 1537	SYN549522 SC (A22011B)	3 µg	12.7	3.2	1.0	15, 9, 14
		10 µg	14.0	2.0	1.1	14, 12, 16
		33 µg	13.3	3.1	1.1	14, 16, 10
		100 µg	14.0	3.0	1.1	14, 17, 11
		333 µg	13.0	2.6	1.1	14, 15, 10
		1000 µg	12.7	3.2	1.0	15, 14, 9
		2500 µg	12.3	2.9	1.0	14 P, 9 P, 14 P
		5000 µg	13.0	2.6	1.1	11 P, 16 P, 12 P
		Deionised water Untreated Control		17.0	2.0	
TA 98	SYN549522 SC (A22011B)	3 µg	26.0	5.2	1.1	23, 32, 23
		10 µg	24.7	4.9	1.0	28, 19, 27
		33 µg	25.3	2.9	1.0	27, 27, 22
		100 µg	29.3	5.1	1.2	28, 25, 35
		333 µg	33.3	6.8	1.4	41, 28, 31
		1000 µg	28.7	3.2	1.2	25, 30, 31
		2500 µg	26.0	9.5	1.1	37 P, 21 P, 20 P
		5000 µg	30.0	7.0	1.2	22 P, 33 P, 35 P
		Deionised water Untreated Control		26.7	6.1	

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 3 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation Without Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

Without metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 100	SYN549522 SC (A22011B)	3 µg	180.7	12.4	1.0	195, 174, 173
		10 µg	201.0	7.0	1.1	206, 193, 204
		33 µg	194.0	22.6	1.1	220, 179, 183
		100 µg	201.7	6.7	1.1	205, 194, 206
		333 µg	198.3	9.1	1.1	205, 202, 188
		1000 µg	204.0	6.6	1.1	211, 198, 203
		2500 µg	195.7	2.9	1.1	194 P, 194 P, 199 P
		5000 µg	194.3	7.5	1.1	202 P, 187 P, 194 P
	Deionised water		183.0	9.0		174, 192, 183
	Untreated Control		182.0	21.2		174, 166, 206
WP2 pKM101	SYN549522 SC (A22011B)	3 µg	287.7	9.2	1.0	277, 293, 293
		10 µg	279.3	5.5	1.0	273, 282, 283
		33 µg	237.3	11.2	0.8	225, 247, 240
		100 µg	267.3	36.5	0.9	277, 227, 298
		333 µg	273.3	22.5	0.9	291, 281, 248
		1000 µg	306.3	5.1	1.1	305, 312, 302
		2500 µg	305.7	18.1	1.1	303 P, 325 P, 289 P
		5000 µg	267.3	22.5	0.9	262 P, 248 P, 292 P
	Deionised water		288.3	20.5		288, 309, 268
	Untreated Control		303.7	25.0		279, 329, 303
WP2 uvrA pKM101	SYN549522 SC (A22011B)	3 µg	359.7	7.6	1.0	363, 351, 365
		10 µg	342.0	8.0	1.0	334, 342, 350
		33 µg	357.3	7.1	1.0	356, 365, 351
		100 µg	374.0	19.5	1.1	354, 393, 375
		333 µg	333.3	17.7	0.9	313, 345, 342
		1000 µg	344.3	25.4	1.0	359, 359, 315
		2500 µg	337.7	23.7	1.0	365 P, 323 P, 325 P
		5000 µg	309.7	31.7	0.9	346 P, 295 P, 288 P
	Deionised water		352.3	20.5		375, 335, 347
	Untreated Control		337.3	17.4		357, 331, 324

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 3 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation Without Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

Without metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	NaN3	10 µg	1241.0	22.6	95.5	1244, 1262, 1217
TA 1537	4-NOPD	50 µg	72.3	8.4	5.9	67, 82, 68
TA 98	4-NOPD	10 µg	382.3	22.0	15.5	394, 357, 396
TA 100	NaN3	10 µg	1599.3	55.8	8.7	1555, 1662, 1581
WP2 pKM101	MMS	2.0 µL	3270.7	224.0	11.3	3478, 3301, 3033
WP2 uvrA pKM101	MMS	2.0 µL	3171.0	158.6	9.0	3197, 3001, 3315

Key to Positive Controls

NaN3	sodium azide
4-NOPD	4-nitro-o-phenylene-diamine
MMS	methyl methane sulfonate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 28 of 40

Todos os infratores poderão ser processados civil e criminalmente

TABLE 4 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation With Metabolic Activation

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

With metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	SYN549522 SC (A22011B)	3 µg	13.7	4.2	0.9	9, 17, 15
		10 µg	15.0	2.6	1.0	16, 17, 12
		33 µg	13.7	2.3	0.9	15, 15, 11
		100 µg	14.7	4.0	1.0	17, 17, 10
		333 µg	15.0	1.0	1.0	14, 16, 15
		1000 µg	13.3	4.9	0.9	19, 10, 11
		2500 µg	13.7	4.0	0.9	16 P, 9 P, 16 P
		5000 µg	15.0	3.6	1.0	12 P, 19 P, 14 P
		Deionised water Untreated Control		15.3	3.5	
TA 1537	SYN549522 SC (A22011B)	3 µg	15.7	0.6	1.0	16, 16, 15
		10 µg	13.3	2.1	0.9	11, 14, 15
		33 µg	17.3	1.5	1.1	16, 17, 19
		100 µg	16.0	1.7	1.0	14, 17, 17
		333 µg	14.3	2.9	0.9	16, 11, 16
		1000 µg	16.3	2.3	1.1	19, 15, 15
		2500 µg	16.0	1.0	1.0	17 P, 15 P, 16 P
		5000 µg	17.3	2.3	1.1	20 P, 16 P, 16 P
		Deionised water Untreated Control		15.3	5.8	
TA 98	SYN549522 SC (A22011B)	3 µg	36.7	8.1	1.1	31, 46, 33
		10 µg	37.7	3.8	1.1	42, 35, 36
		33 µg	34.7	7.6	1.1	28, 33, 43
		100 µg	35.3	8.0	1.1	43, 36, 27
		333 µg	41.0	6.1	1.2	38, 48, 37
		1000 µg	38.7	7.0	1.2	38, 32, 46
		2500 µg	42.3	5.5	1.3	36 P, 45 P, 46 P
		5000 µg	40.0	5.2	1.2	46 P, 37 P, 37 P
		Deionised water Untreated Control		33.0	1.7	
		47.0	1.7		48, 45, 48	

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 29 of 40

Todos os infratores poderão ser processados civil e criminalmente

TABLE 4 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation With Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

With metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 100	SYN549522 SC (A22011B)	3 µg	192.7	11.0	1.0	184, 189, 205
		10 µg	200.3	22.8	1.1	174, 213, 214
		33 µg	193.7	15.7	1.0	199, 206, 176
		100 µg	199.3	10.0	1.1	209, 200, 189
		333 µg	193.3	19.4	1.0	171, 203, 206
		1000 µg	189.3	7.8	1.0	198, 187, 183
		2500 µg	201.0	21.9	1.1	206 P, 177 P, 220 P
		5000 µg	213.0	3.5	1.1	215 P, 209 P, 215 P
	Deionised water		186.3	16.1		198, 168, 193
	Untreated Control		192.7	17.4		173, 206, 199
WP2 pKM101	SYN549522 SC (A22011B)	3 µg	325.0	14.7	1.0	308, 333, 334
		10 µg	303.0	16.5	1.0	313, 312, 284
		33 µg	297.0	5.2	1.0	294, 303, 294
		100 µg	300.3	16.4	1.0	288, 294, 319
		333 µg	316.3	30.0	1.0	287, 315, 347
		1000 µg	267.7	14.6	0.9	251, 278, 274
		2500 µg	267.3	23.0	0.9	242 P, 287 P, 273 P
		5000 µg	286.7	35.8	0.9	267 P, 265 P, 328 P
	Deionised water		311.3	26.1		305, 340, 289
	Untreated Control		308.7	28.6		284, 340, 302
WP2 uvrA pKM101	SYN549522 SC (A22011B)	3 µg	366.3	7.0	1.0	367, 373, 359
		10 µg	347.3	5.7	1.0	341, 349, 352
		33 µg	381.3	21.5	1.0	403, 360, 381
		100 µg	368.7	22.1	1.0	393, 363, 350
		333 µg	393.3	18.9	1.1	389, 414, 377
		1000 µg	379.7	16.4	1.0	386, 392, 361
		2500 µg	369.7	16.7	1.0	375 P, 383 P, 351 P
		5000 µg	371.7	22.9	1.0	398 P, 356 P, 361 P
	Deionised water		364.0	15.1		359, 381, 352
	Untreated Control		360.3	13.6		362, 373, 346

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 4 Pre-Experiment and Experiment I: 1913500 VV Plate Incorporation With Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 VV Plate
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 20.07.2018
 Date Counted: 23.07.2018

With metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	2-AA	2.5 µg	242.3	7.8	15.8	240, 236, 251
TA 1537	2-AA	2.5 µg	424.0	22.7	27.7	440, 434, 398
TA 98	2-AA	2.5 µg	2413.3	419.8	73.1	2375, 2014, 2851
TA 100	2-AA	2.5 µg	3001.3	158.5	16.1	3003, 2842, 3159
WP2 pKM101	2-AA	10.0 µg	1333.3	139.5	4.3	1378, 1445, 1177
WP2 uvrA pKM101	2-AA	10.0 µg	1718.7	55.8	4.7	1683, 1783, 1690

Key to Positive Controls

2-AA 2-aminoanthracene

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 5 Experiment II: 1913500 HV2 Pre Incubation Without Metabolic Activation

Study Name: 1913500
 Experiment: 1913500 HV2 Pre
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 25.07.2018
 Date Counted: 01.08.2018

Without metabolic activation						
Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	SYN549522 SC (A22011B)	33 µg	12.3	3.2	1.1	10, 16, 11
		100 µg	12.0	1.7	1.0	14, 11, 11
		333 µg	14.0	2.0	1.2	14, 12, 16
		1000 µg	10.7	0.6	0.9	10, 11, 11
		2500 µg	10.3	1.2	0.9	9 P, 11 P, 11 P
		5000 µg	12.3	2.3	1.1	11 P, 11 P, 15 P
	Deionised water Untreated Control		11.7	4.0		14, 7, 14
TA 1537	SYN549522 SC (A22011B)	33 µg	15.3	4.7	1.0	17, 19, 10
		100 µg	11.7	3.1	0.8	11, 9, 15
		333 µg	11.7	2.1	0.8	14, 10, 11
		1000 µg	9.3	3.1	0.6	12, 6, 10
		2500 µg	10.7	0.6	0.7	10 P, 11 P, 11 P
		5000 µg	14.3	0.6	1.0	14 P, 14 P, 15 P
	Deionised water Untreated Control		14.7	2.5		15, 12, 17
TA 98	SYN549522 SC (A22011B)	33 µg	27.0	9.5	1.0	22, 21, 38
		100 µg	31.3	2.9	1.2	33, 33, 28
		333 µg	27.0	4.6	1.0	26, 32, 23
		1000 µg	30.7	7.5	1.1	35, 35, 22
		2500 µg	28.0	2.0	1.0	30 P, 28 P, 26 P
		5000 µg	23.7	2.1	0.9	26 P, 23 P, 22 P
	Deionised water Untreated Control		27.0	4.0		31, 23, 27
TA 100	SYN549522 SC (A22011B)	33 µg	183.0	17.3	1.0	174, 203, 172
		100 µg	199.3	10.0	1.1	189, 200, 209
		333 µg	177.7	14.0	1.0	164, 177, 192
		1000 µg	199.3	23.4	1.1	182, 226, 190
		2500 µg	200.3	12.3	1.1	214 P, 197 P, 190 P
		5000 µg	172.7	16.0	0.9	172 P, 157 P, 189 P
	Deionised water Untreated Control		184.0	8.7		179, 194, 179

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 5 Experiment II: 1913500 HV2 Pre Incubation Without Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 HV2 Pre
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 25.07.2018
 Date Counted: 01.08.2018

Without metabolic activation						
Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
WP2 pKM101	SYN549522 SC (A22011B)	33 µg	263.7	25.7	1.0	292, 242, 257
		100 µg	264.7	7.1	1.0	266, 257, 271
		333 µg	252.7	2.5	0.9	253, 250, 255
		1000 µg	273.0	14.7	1.0	270, 260, 289
		2500 µg	231.3	23.3	0.9	258 P, 221 P, 215 P
		5000 µg	218.0	29.1	0.8	185 P, 240 P, 229 P
	Deionised water Untreated Control		271.0	29.7		305, 258, 250
WP2 uvrA pKM101	SYN549522 SC (A22011B)	33 µg	324.3	15.8	1.0	338, 328, 307
		100 µg	324.7	9.6	1.0	335, 323, 316
		333 µg	315.0	14.9	1.0	321, 326, 298
		1000 µg	358.3	36.1	1.1	399, 346, 330
		2500 µg	344.3	18.3	1.1	338 P, 330 P, 365 P
		5000 µg	323.7	34.8	1.0	349 P, 338 P, 284 P
	Deionised water Untreated Control		326.3	20.5		314, 350, 315
		322.0	21.1		342, 300, 324	
TA 1535	NaN3	10 µg	1052.3	33.6	90.2	1020, 1050, 1087
TA 1537	4-NOPD	50 µg	75.7	4.9	5.2	70, 79, 78
TA 98	4-NOPD	10 µg	412.0	6.1	15.3	419, 408, 409
TA 100	NaN3	10 µg	1532.3	100.9	8.3	1585, 1416, 1596
WP2 pKM101	MMS	2.0 µL	2925.7	392.9	10.8	3034, 2490, 3253
WP2 uvrA pKM101	MMS	2.0 µL	2815.0	69.0	8.6	2815, 2746, 2884

Key to Positive Controls

NaN3 sodium azide
 4-NOPD 4-nitro-o-phenylene-diamine
 MMS methyl methane sulfonate

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

TABLE 6 Experiment II: 1913500 HV2 Pre Incubation With Metabolic Activation

Study Name: 1913500
 Experiment: 1913500 HV2 Pre
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 25.07.2018
 Date Counted: 01.08.2018

With metabolic activation

Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
TA 1535	SYN549522 SC (A22011B)	33 µg	12.7	3.8	1.2	11, 17, 10
		100 µg	13.0	2.6	1.2	14, 15, 10
		333 µg	11.3	1.2	1.1	12, 12, 10
		1000 µg	12.0	2.6	1.1	11, 10, 15
		2500 µg	11.7	2.5	1.1	9 P, 14 P, 12 P
		5000 µg	11.7	3.8	1.1	16 P, 9 P, 10 P
	Deionised water Untreated Control		10.7	3.5		11, 7, 14
TA 1537	SYN549522 SC (A22011B)	33 µg	15.7	4.0	0.8	20, 12, 15
		100 µg	14.3	2.5	0.8	17, 12, 14
		333 µg	16.7	3.1	0.9	16, 20, 14
		1000 µg	19.3	3.1	1.0	22, 20, 16
		2500 µg	15.7	4.7	0.8	14 P, 21 P, 12 P
		5000 µg	18.0	2.6	1.0	16 P, 21 P, 17 P
	Deionised water Untreated Control		18.7	3.5		22, 19, 15
TA 98	SYN549522 SC (A22011B)	33 µg	44.7	9.9	1.0	56, 40, 38
		100 µg	52.3	5.5	1.2	58, 52, 47
		333 µg	37.7	5.5	0.8	43, 32, 38
		1000 µg	42.3	10.1	0.9	54, 37, 36
		2500 µg	39.0	12.1	0.9	52 P, 28 P, 37 P
		5000 µg	39.7	6.4	0.9	36 P, 47 P, 36 P
	Deionised water Untreated Control		45.0	8.2		52, 47, 36
TA 100	SYN549522 SC (A22011B)	33 µg	205.3	30.0	1.0	188, 188, 240
		100 µg	204.7	11.1	1.0	206, 193, 215
		333 µg	185.7	2.1	0.9	188, 185, 184
		1000 µg	211.7	10.7	1.0	214, 221, 200
		2500 µg	217.0	20.0	1.1	194 P, 230 P, 227 P
		5000 µg	197.0	34.4	1.0	171 P, 184 P, 236 P
	Deionised water Untreated Control		205.3	2.5		203, 205, 208
		206.7	28.1		239, 188, 193	

Key to Plate Postfix Codes

P Precipitate

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 34 of 40

Todos os infratores poderão ser processados civil e criminalmente

TABLE 6 Experiment II: 1913500 HV2 Pre Incubation With Metabolic Activation (Continued)

Study Name: 1913500
 Experiment: 1913500 HV2 Pre
 Assay Conditions:

Study Code: Envigo 1913500
 Date Plated: 25.07.2018
 Date Counted: 01.08.2018

With metabolic activation						
Strain	Compound	Concentration per plate	Mean revertants per plate	Standard Deviation	Ratio treated / solvent	Individual revertant colony counts
WP2 pKM101	SYN549522 SC (A22011B)	33 µg	318.0	3.6	1.0	314, 321, 319
		100 µg	315.0	19.7	1.0	336, 297, 312
		333 µg	296.0	14.8	1.0	313, 289, 286
		1000 µg	282.3	32.3	0.9	287, 248, 312
		2500 µg	313.7	23.6	1.0	289 P, 336 P, 316 P
		5000 µg	298.3	9.2	1.0	293 P, 309 P, 293 P
	Deionised water Untreated Control		303.0	11.5		292, 315, 302
WP2 uvrA pKM101	SYN549522 SC (A22011B)	33 µg	352.3	12.5	1.0	352, 365, 340
		100 µg	367.3	9.0	1.0	373, 357, 372
		333 µg	358.3	21.0	1.0	342, 351, 382
		1000 µg	379.7	19.4	1.1	401, 375, 363
		2500 µg	365.0	15.7	1.0	382 P, 362 P, 351 P
		5000 µg	343.3	22.3	1.0	318 P, 360 P, 352 P
	Deionised water Untreated Control		351.0	23.6		331, 377, 345
		370.0	9.5		376, 375, 359	
TA 1535	2-AA	2.5 µg	182.0	21.2	17.1	198, 190, 158
TA 1537	2-AA	2.5 µg	281.0	21.0	15.1	304, 276, 263
TA 98	2-AA	2.5 µg	1653.0	160.5	36.7	1764, 1726, 1469
TA 100	2-AA	2.5 µg	2498.0	92.1	12.2	2600, 2473, 2421
WP2 pKM101	2-AA	10.0 µg	1012.7	4.5	3.3	1017, 1008, 1013
WP2 uvrA pKM101	2-AA	10.0 µg	1740.0	309.2	5.0	1559, 1564, 2097
Key to Positive Controls			Key to Plate Postfix Codes			
2-AA	2-aminoanthracene		P		Precipitate	

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

APPENDICES SECTION

CONFIDENTIAL
Property of Syngenta



RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 36 of 40

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 1 Historical Control Data

These data represent the laboratory's historical control data from November 2014 until November 2016 representing approx. 600 experiments (WP2 pKM 101 and WP2 *uvrA* pKM 101 the historical data are based on approx. 100 experiments).

The positive controls that used to compile the historical positive control data correspond to the positive control substances described in Methods; section 3.2.2 (Positive control substances).

Strain		without S9 mix				with S9 mix			
		Mean	SD	Min	Max	Mean	SD	Min	Max
TA 1535	Solvent control	12	2.5	6	25	12	2.5	7	26
	Untreated control	12	3.1	6	28	12	2.9	7	26
	Positive control	1130	143.1	334	1816	388	58.2	176	668
TA1537	Solvent control	10	2.2	6	19	13	3.5	7	30
	Untreated control	11	2.7	5	21	14	4.0	7	31
	Positive control	82	12.7	43	157	191	60.8	83	434
TA 98	Solvent control	25	4.4	13	43	34	6.2	15	58
	Untreated control	27	4.9	12	43	37	6.5	11	57
	Positive control	378	73.7	211	627	3949	771.8	360	6586
TA 100	Solvent control	156	26.0	78	209	148	32.3	73	208
	Untreated control	176	23.6	79	217	172	25.4	85	218
	Positive control	1966	293.2	498	2767	3798	830.4	536	6076
WP2 pKM 101	Solvent control	207	23.5	171	302	231	26.3	194	332
	Untreated control	223	22.7	166	314	230	24.4	202	334
	Positive control	3776	466.8	2796	5156	1355	498.3	1055	4068
WP2 <i>uvrA</i> pKM 101	Solvent control	334	33.0	242	392	378	37.7	276	464
	Untreated control	347	33.2	283	412	392	36.2	296	483
	Positive control	3364	637.1	1981	4828	2123	229.1	1708	2782

Mean = mean value of revertants/plate

SD = standard deviation

Min = minimal value/Max = maximal value

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS


Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 37 of 40

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 2 Copy of GLP Certificate



Gute Laborpraxis/Good Laboratory Practice

GLP-Bescheinigung/Statement of GLP Compliance (gemäß/according to § 19b Abs. 1 Chemikaliengesetz)



Eine GLP-Inspektion zur Überwachung der Einhaltung der GLP-Grundsätze gemäß Chemikaliengesetz bzw. Richtlinie 2004/9/EG wurde durchgeführt in

Assessment of conformity with GLP according to Chemikaliengesetz and Directive 2004/9/EEC at:

Prüfeinrichtung/Test facility Prüfstandort/Test site

ENVIGO CRS GmbH
In den Leppsteinswiesen 19
64380 Roßdorf

(Unverwechselbare Bezeichnung und Adresse/Unequivocal name and address)

Prüfungen nach Kategorien/Areas of Expertise (gemäß/according chemVwV-GLP Nr. 5.3/OECD guidance)

2 Prüfungen zur Bestimmung der toxikologischen Eigenschaften
3 Prüfungen zur Bestimmung der erbgutverändernden Eigenschaften (in vitro und in vivo)
8 Analytische Prüfungen an biologischen Materialien

2 Toxicity studies
3 Mutagenicity studies
8 Analytical studies on biological materials

13. – 16. Juli 2015
Datum der Inspektion/Date of Inspection
(Tag Monat Jahr/day month year)

Die genannte Prüfeinrichtung befindet sich im nationalen GLP-Überwachungsverfahren und wird regelmäßig auf Einhaltung der GLP-Grundsätze überwacht.

The above mentioned test facility is included in the national GLP Compliance Programme and is inspected on a regular basis.

Auf der Grundlage des Inspektionsberichtes wird hiermit bestätigt, dass in dieser Prüfeinrichtung die oben genannten Prüfungen unter Einhaltung der GLP-Grundsätze durchgeführt werden können.

Based on the inspection report it can be confirmed, that this test facility is able to conduct the aforementioned studies in compliance with the Principles of GLP.

Im Auftrag

Th. Zimmermann
Th. Zimmermann, Referatsleiter, Wiesbaden, den 14. September 2015
(Name und Funktion der verantwortlichen Person/
Name and function of responsible person)



Hess. Ministerium für Umwelt, Klimaschutz, Landwirtschaft und Verbraucherschutz,
Mainzer Straße 80 D65189 Wiesbaden
(Name und Adresse der GLP-Überwachungsbehörde/Name and address of the GLP Monitoring Authority)

English name and address of the GLP Monitoring Authority: Hessian Ministry for Environment, Energy, Agriculture and Consumer Protection; Department II 10; P.O. Box 31 09; 65189 Wiesbaden
Translation of stamp inscription:
Hessian Ministry for Environment, Rural Regions and Consumer Protection

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 38 of 40

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 3 Certificate of S9

++++
ENVIGO

CERTIFICATE

ENVIGO CRS S9 PREPARATION LOT NO. 080318B

Date of preparation: 08 March 2018

Release date: 03 April 2018


Protein assay: 31.7 mg protein / ml S9

Sterility: 0 colonies / ml S9 on glucose-minimal-agar


Salmonella typhimurium assay (AMES-test)

Treatment	µl S9 / plate	number of revertants in TA 98
negative	0	21
control	100	34
10 µg/plate	0	73
2-Aminoanthracene	100	2290
10 µg/plate	0	23
Benzo(a)pyrene	100	92

The S9 was obtained from the livers of male Wistar rats which received triple treatments of 80 mg / kg body weight Phenobarbital and β-Naphthoflavone orally on consecutive days. The livers were prepared 24 hours after the last treatment.


 Dr. Steffen Naumann
 Study Director
 Envigo CRS GmbH

09. APR. 2018
 Date


 Quality Assurance Auditor
 Envigo CRS GmbH
 L. Wilck

9. April, 2018
 Date

Envigo CRS GmbH
 In den Leppsteinswiesen 19, 64380 Rossdorf, Deutschland
 T +49 6154 8070 F +49 6154 83399
 Registergericht Darmstadt, HRB 6837, USt-ID DE812333656
 Geschäftsführer: Dr. Wolfgang Völkner, Michael Gregory O'Reilly, John Handley
 envigo.com

SOP Origin TS-SOP S9_20

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Page 39 of 40

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 4 Certificate of Analysis



Syngenta Crop Protection AG
 GLP Testing Facility WMU
 Analytical Development & Product Chemistry
 Breitenloh 5
 4333 Münchwilen, Switzerland

Certificate of Analysis

A22011B
SYN549522 SC (450)
SMU7JP001

Batch Identification SMU7JP001
 Other Batch ID 1013163
Product Code A22011B
 Other Product Code(s) SYN549522 SC (450)

Chemical Analysis (Active Ingredient content)

- Identity of the Active Ingredient(s)* **confirmed**
- Content of SYN549522* **38.1 % w/w corresponding to 448 g/l**
- Content of SYN547386* **34.3 % w/w corresponding to 403 g/l**
- Content of SYN548941* **3.83 % w/w corresponding to 45.0 g/l**

The Active Ingredient(s) content is within the FAO limits.

Methodology used for Characterization / Recertification HPLC, chiral HPLC, oscillating density meter

Physical Analysis

- Appearance **beige liquid**
- Density* **1175 kg/m³**

Stability:

- Storage Temperature **< 30 °C**
- Recertification Date **End of November 2020**

If stored under the conditions given above, this test substance can be considered stable until the recertification date is reached.

This Certificate of Analysis summarizes data which originates either from a single study or from several individual studies. Tests marked with an asterisk (*) have been conducted in compliance with GLP. Raw data, documentation, study plans, any amendments to study plans and reports pertaining to this/these study/studies are stored under the study number(s) referenced below within the archives of the GLP Testing Facility WMU at Syngenta Crop Protection AG, Switzerland.

Study number of batch characterization: CHMU170748
 Study number(s) of batch recertification: ---

Authorization: 30-November-2017

Dr. Christian Mink
 Analytical Development & Product Chemistry

RESULTADOS DE TESTES E OUTROS DADOS NÃO DIVULGADOS

Estas informações, resultados de testes e outros dados não divulgados são confidenciais e de propriedade da SYNGENTA PROTEÇÃO DE CULTIVOS LTDA., protegidos na forma da Lei 10.603/02 e do artigo 195, XIV da Lei 9.279/96

Report Number: 1913500

Todos os infratores poderão ser processados civil e criminalmente