

Difenoconazole/Fludioxonil/Metalaxyl-M/Cyclobutrifluram

Difenoconazole/Fludioxonil/Metalaxyl-M/Cyclobutrifluram FS (A23793B) – *In Vitro* Skin Irritation Test in the EPISKIN™ Model

Final Report

TEST GUIDELINE(S): OECD No. 439 (2021)
EC No 640/2012, B.46. (2012)

AUTHOR(S): Balázs Orovecz, B.Sc.

COMPLETION DATE: 30 November 2021

PERFORMING LABORATORY: Charles River Laboratories Hungary Kft.
H-8200 Veszprém, Szabadságpuszta, hrsz. 028/1.,
Hungary

LABORATORY PROJECT ID: Report Number: 21/245-043B
Study Number: 21/245-043B
Task Number: TK0518490

SPONSOR(S): Syngenta Ltd.
Jealott's Hill International Research Centre
Bracknell, Berkshire, RG42 6EY, United Kingdom

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 1 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Decreto de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.
É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

STATEMENT OF DATA CONFIDENTIALITY CLAIMS

The Following Statement Applies To The United States of America:

STATEMENT OF NO DATA CONFIDENTIALITY CLAIMS UNDER SPECIFIED FIFRA PROVISIONS

No claim of confidentiality, on any basis whatsoever, is made for any information contained in this document. I acknowledge that information not designated as within the scope of FIFRA sec. 10(d)(1)(A), (B), or (C) and which pertains to a registered or previously registered pesticide is not entitled to confidential treatment and may be released to the public, subject to the provisions regarding disclosure to multinational entities under FIFRA 10(g).

Company: Syngenta Crop Protection, LLC
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

Submitter: _____ Date: _____

Syngenta is the owner of this information and data. Syngenta has submitted this material to the United States Environmental Protection Agency specifically under the provisions contained in FIFRA as amended and, hereby, consents to use and disclosure of this material by EPA according to FIFRA. In submitting this material to EPA according to method and format requirements contained in PR Notice 2011-3, we do not waive any protection or right involving this material that would have been claimed by the company if this material had not been submitted to the EPA, nor do we waive any protection or right provided under FIFRA Section 3 (concerning data exclusivity and data compensation) or FIFRA Section 10(g) (prohibiting disclosure to foreign and multinational pesticide companies or their agents).

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 2 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Regulamento de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.
É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.


Todos os infratores poderão ser processados civil e criminalmente

GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT

This study has been performed in accordance with the study plan and the Principles of Good Laboratory Practice (Hungarian GLP Regulations: 42/2014. (VIII. 19.) EMMI decree of the Ministry of Human Capacities which corresponds to the OECD GLP, ENV/MC/CHEM (98) 17).

I, the undersigned, declare that this report constitutes a true record of the actions undertaken and the results obtained in the course of this study. By virtue of my dated signature I accept the responsibility for the validity of the data.

Signature: _____


Balázs Orovecz, B.Sc.
Study Director

Date: _____

30 November 2021

Performing Laboratory:

Charles River Laboratories Hungary Kft.
H-8200 Veszprém, Szabadságpuszta, hrsz. 028/1.,
Hungary

To be completed for USA EPA submission only:
Representative of Submitter/Sponsor:

Date

Submitter/Sponsor: Syngenta Crop Protection, LLC
410 Swing Road
Post Office Box 18300
Greensboro, NC 27419-8300 USA

SEGREDOS INDUSTRIAIS

Estas informações são confidenciais e de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

FLAGGING STATEMENT

This page is intentionally left blank. It will be replaced by an appropriate Flagging statement by the sponsor.

CONFIDENTIAL
Property of Syngenta

syngenta®

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B Page 4 of 34

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

QUALITY ASSURANCE STATEMENT

Study Number: 21/245-043B


Study Title: Difenoconazole/Fludioxonil/Metalaxyl-M/Cyclobutrifluram FS (A23793B)
– *In Vitro* Skin Irritation Test in the EPISKIN™ Model

Test Item: Difenoconazole/Fludioxonil/Metalaxyl-M/Cyclobutrifluram FS
(A23793B)

This study has been inspected, and this report audited by the Quality Assurance Unit in compliance with the Principles of Good Laboratory Practice. As far as it can be reasonably established the methods described and the results incorporated in this report accurately reflect the raw data produced during this study.

All inspections, data reviews and the report audit were reported in written form to the study director and to management. The dates of such inspections and of the report audit are given below:

Date of Inspection	Phase(s) Inspected/Audited	Date of report to	
		Management	Study Director
14 October 2021	Study Plan	14 October 2021	14 October 2021
20 October 2021	Treatment	20 October 2021	20 October 2021
05 November 2021	Draft Report	05 November 2021	05 November 2021
19 November 2021	Amendment 1 to the Study Plan	19 November 2021	19 November 2021
29 November 2021	Final Report	29 November 2021	29 November 2021

Signature: 
Eszter Sebestyén, B.Sc.
On Behalf of QA

Date: 30 November 2021

SEGREDOS INDUSTRIAIS

Estas informações são confidenciais e de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo
segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02. Page 5 of 34

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

MANAGEMENT STATEMENT

According to the conditions of the research and development agreement between Syngenta Ltd. (as Sponsor) and Charles River Laboratories Hungary Kft. (as Test Facility), the study titled "Difenoconazole/Fludioxonil/Metalaxy1-M/Cyclobutrifluram FS (A23793B) – *In Vitro* Skin Irritation Test in the EPISKIN™ Model" was performed, in compliance with the Principles of Good Laboratory Practice.

Signature: *Balázs Tóth*
Balázs Tóth, Ph.D.
General Manager

Date: 30 November 2020

SEGREDOS INDUSTRIAIS

Estas informações são confidenciais e de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

GENERAL INFORMATION

Contributors

The following contributed to this report in the capacities indicated:

Name	Function
Balázs Orovecz, B.Sc.	Study Director
Balázs Tóth, Ph.D.	General Manager
David J. Esdaile, M.Sc.	Director of Science and Regulatory Affairs
Kata Tóth-Gönczöl, B.Sc.	Assistant Scientist
Eszter Sebestyén, B.Sc.	Quality Assurance Auditor
Carolina Vaccari, M.Sc.	Syngenta Study Manager

Study dates

Study Plan:	15 October 2021
Amendment 1 to the Study Plan:	22 November 2021
Experimental Starting Date:	19 October 2021
Experimental Completion Date:	22 October 2021
Date of Draft Report (non-QA audited):	22 October 2021
Date of Draft Report (QA audited):	08 November 2021
Date of Final Report:	30 November 2021

Note: MTT-pre check was performed on 19 October 2021

Deviations from the Study Plan

There were no deviations from the Study Plan.

Performing laboratory test substance reference number

210563

Other

The study documents and samples:

- study plan and amendment,
- all raw data,
- sample of the test item,
- original study report and any amendments,
- correspondence

will be archived according to the Hungarian GLP regulations and to applicable SOP's in the Archives of Charles River Laboratories Hungary Kft. (H-8200 Veszprém, Szabadságpuszta, hrsz. 028/1., Hungary). This is for a period of 15 years.

After the retention time of 15 years has elapsed all the archived materials listed above will be returned to the Sponsor or retained for a further period if agreed by a contract. Otherwise the materials will be discarded.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 7 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Decreto de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

TABLE OF CONTENTS

STATEMENT OF DATA CONFIDENTIALITY CLAIMS	2
GOOD LABORATORY PRACTICE COMPLIANCE STATEMENT	3
FLAGGING STATEMENT	4
QUALITY ASSURANCE STATEMENT	5
MANAGEMENT STATEMENT	6
GENERAL INFORMATION	7
TABLE OF CONTENTS	8
1.0 EXECUTIVE SUMMARY	11
1.1 Study Design	11
1.2 Results	11
1.3 Conclusion.....	11
2.0 INTRODUCTION	12
2.1 Purpose.....	12
2.2 Guidelines	12
2.3 Test Facility.....	12
3.0 MATERIALS AND METHODS	13
3.1 Test Substance.....	13
3.2 Identification and Receipt	13
3.3 Test Item Preparation	13
3.4 Subsidiary Materials.....	13
3.4.1 Negative control	14
3.4.2 Positive control.....	14
3.5 Test System	14
3.5.1 Human skin	14
3.5.2 Quality control	15
3.5.3 Justification for selection of the test system	15
3.5.4 Kit contents	15
3.5.5 Number of replicate wells	15
3.5.6 Kit reception.....	15
3.5.7 Storage.....	16
3.6 Additional Materials.....	16
3.6.1 MTT solution	16
3.6.2 Acidified isopropanol.....	16

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 8 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituindo-se em segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.
É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

3.6.3	Chemicals used in the experiment.....	16
3.7	Indicator for Potential False Viability.....	16
3.7.1	Check-method for possible direct MTT reduction with test item.....	17
3.7.2	Check-method to detect the colouring potential of test item	17
3.7.3	Additional control tissues used in respect of colour interference potential (NSC _{living})	17
3.8	Performance of the Study.....	17
3.8.1	Pre-incubation (Day [-1]).....	18
3.8.2	Application and rinsing (Day 0).....	18
3.8.3	MTT test (Day 2)	19
3.8.4	Formazan extraction (Day 2)	19
3.8.5	Cell viability measurements (Day 2).....	19
3.9	Calculations of Viability Percentages	19
3.9.1	Data calculation for normal test items	19
3.9.2	Data calculation for test items having MTT-interacting potential.....	20
3.9.3	Data calculation for test items having colouring potential.....	21
3.9.4	Data calculation for substance having both MTT interacting potential and colouring potential	22
3.10	Validity of the Test.....	22
3.11	Interpretation of Test Results	22
4.0	RESULTS AND DISCUSSION	23
4.1	Additional Controls.....	23
4.2	Viability Results.....	23
4.3	Validity of the Test.....	24
4.4	Discussion	24
5.0	CONCLUSIONS	24
6.0	REFERENCES	24
7.0	DISTRIBUTION OF THE FINAL REPORT	25
TABLES SECTION		26
TABLE 1	Optical Density (OD) and the Calculated Non Specific Colour % (NSC _{living} %) of the Additional Control Tissues	27
TABLE 2	Optical Density (OD) and the Calculated Relative Viability % of the Samples	28
APPENDICES SECTION		29
APPENDIX 1	Certificate of Analysis.....	30
APPENDIX 2	Copy of the Test Kit Quality Control.....	32
APPENDIX 3	Historical Control Data	33

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 9 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em sociedade anônima de direito brasileiro, inscrita no CNPJ nº 07.011.733/0001-90, sob o nº de Registro de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.
É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

CONFIDENTIAL
Property of Syngenta



SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B Page 10 of 34

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

1.0 EXECUTIVE SUMMARY

1.1 Study Design

An *in vitro* skin irritation test was conducted on difenoconazole/fludioxonil/metalaxyl-m/cyclobutrifluram FS (A23793B) in a reconstructed human epidermis model. The EpiSkin™ model is designed to predict and classify the irritation potential of chemicals by measuring its cytotoxic effect as reflected in the MTT (3-(4,5-Dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide, Thiazolyl blue; CAS number: 298-93-1) assay. The irritation potential of the test item was evaluated according to the OECD guideline No. 439 [1].

Disks of EpiSkin™ (three units) were treated with the test item and incubated for 15 minutes at room temperature. Exposure of the test item to the EpiSkin™ surface was terminated by rinsing the units with Phosphate Buffered Saline (PBS). The epidermis units were then incubated at 37°C for 42 hours in an incubator with 5% CO₂ in a >95% relative humidified (RH) atmosphere. After the 42-hour incubation, MTT solution was added to the units and incubated for a further 3 hours to determine cell viability. The precipitated formazan crystals were then extracted using acidified isopropanol and quantified spectrophotometrically at 570 nm.

The negative control epidermis units were treated with PBS, whilst the positive control epidermis units were treated with 5% (w/v) sodium dodecyl sulphate (SDS) (three units / control). Two additional disks were used to provide an estimate of colour contribution (NSC_{living}) from the test item. For each treated tissue, the viability was expressed as a percentage relative to the negative control. If the mean relative cell viability after 15 minutes of exposure and 42 hours post incubation is less or equal (\leq) to 50% of the negative control, the test item is considered to be an irritant to skin.

1.2 Results

Following exposure to difenoconazole/fludioxonil/metalaxyl-m/cyclobutrifluram FS (A23793B), the mean cell viability was 123.9% compared to the negative control. This is above the threshold of 50%, therefore the test item was considered as being non-irritant to skin under the conditions of this assay. The experiment met the validity criteria, and therefore the study was considered to be valid.

1.3 Conclusion

In conclusion, under the conditions of this *in vitro* EpiSkin™ irritation assay, the results indicate that difenoconazole/fludioxonil/metalaxyl-m/cyclobutrifluram FS (A23793B) is non-irritant to skin.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 11 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída em
estabelecimento de direito sob o regime de SEGREDO DE INDÚSTRIA, protegidos pelo artigo 195, XI, XII e XIV da Lei
9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles
descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

3.4.1 Negative control

Phosphate Buffered Saline:

Abbreviation: PBS
Supplier: Life Technologies Corporation
Batch number: 2215013
Expiry date: 31 December 2022

3.4.2 Positive control

5% (w/v) Sodium Dodecyl Sulphate solution (SDS):

SDS (5% w/v aqueous solution) was freshly prepared in the testing laboratory.

The following chemicals were used for the preparation of the positive control solution:

Sodium Dodecyl Sulphate:

Supplier: Sigma-Aldrich
Batch number: STBJ9692
Expiry date: 31 October 2026

Distilled water:

Supplier: B. Braun Pharmaceuticals SA
Batch number: 11511Y25-2
Expiry date: 31 March 2024

3.5 Test System

3.5.1 Human skin

EpiSkin™ (Manufacturer: SkinEthic, France, Batch No.: 21-EKIN-042, Expiry Date: 25 October 2021) is a three-dimensional human epidermis model. Adult human-derived epidermal keratinocytes are seeded on a dermal substitute consisting of a collagen type I matrix coated with type IV collagen. A highly differentiated and stratified epidermis model is obtained after 13-day culture period comprising the main basal, supra basal, spinous and granular layers and a functional stratum corneum (Tinois et al., 1994) [7]. Its use for skin irritation testing involves topical application of test materials to the surface of the epidermis, and the subsequent assessment of their effects on cell viability.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 14 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em sociedade anônima sob o nome comercial de Syngenta Proteção de Cultivos Ltda., inscrita no CNPJ nº 07.011.730/0001-90, sob o nº de Registro de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

3.5.2 Quality control

EpiSkin™ kits are manufactured according to defined quality assurance procedures (certified ISO 9001). All biological components of the epidermis and the kit culture medium have been tested for the presence of viruses, bacteria and mycoplasma.

The quality of the final product is assessed by undertaking a MTT cell viability test and a cytotoxicity test with sodium dodecyl sulphate (SDS). These quality control experiments were conducted at SkinEthic laboratories (supplier of the EpiSkin™ test kits used in the present study) and are documented in Appendix 2.

3.5.3 Justification for selection of the test system

The EpiSkin™ has been validated for irritation testing in an international validation study [3] and its use is recommended by the relevant OECD guideline for irritation testing (OECD No. 439); therefore, it was considered to be suitable for this study.

3.5.4 Kit contents

Units:	EpiSkin™ plate containing up to 12 reconstructed epidermis units (area: 0.38 cm ²) each reconstructed epidermis is attached to the base of a tissue culture vessel with an O-ring set and maintained on nutritive agar for transport.
Plate:	12-well assay plate
Punch:	EpiSkin™ biopsy punch for easy sampling of epidermis
Medium:	A flask of sterile “Maintenance Medium” (Batch No.: 21-MAIN3-038; Exp. Date: 27 October 2021) A flask of sterile “Assay Medium” (Batch No.: 21-ESSC-037; Exp. Date: 27 October 2021)

3.5.5 Number of replicate wells

In this assay, three replicates were used for the test item. Three negative controls and three positive controls were also run in the assay. As the test item was coloured, two additional test item-treated living tissues were used for the non-specific optical density (OD) evaluation.

3.5.6 Kit reception

The pH of the agar medium used for transport was checked by checking the colour of the medium:

- orange colour = good
- yellow or violet colour = not acceptable

The colour of the temperature indicator was inspected to verify that the kit has not been exposed to a temperature above 40°C (the colour change is irreversible, independent of the length of the period above 40 °C):

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 15 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em sociedade de direito privado sob o nome de SYNGENTA S.A. de direito brasileiro, inscrita no CNPJ nº 06.927.996/0001-90, com sede em São Paulo, SP, Brasil, inscrita no CNPJ nº 06.927.996/0001-90, inscrita no CNPJ nº 06.927.996/0001-90, inscrita no CNPJ nº 06.927.996/0001-90. É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

- white colour = good
- grey or black colour = not acceptable

3.5.7 Storage

The EpiSkin™ kits were kept in their packaging at 37°C, the Assay Medium and Maintenance Medium supplied with the kits were stored at 2-8°C until the initiation of the test.

3.6 Additional Materials

3.6.1 MTT solution

MTT [3-(4,5-Dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide, Thiazolyl blue; CAS number 298-93-1] was diluted in phosphate buffered saline (PBS) at a final concentration of 3 mg/mL (MTT stock solution). The obtained stock solution (prepared on 19 October 2021) was stored in a refrigerator (2-8°C) protected from light. It was diluted with pre-warmed (37°C) Assay Medium to a final concentration of 0.3 mg/mL (MTT working solution) immediately before use.

3.6.2 Acidified isopropanol

Isopropanol was acidified with HCl acid to achieve a final concentration of 0.04M HCl (1.8 mL of 12M HCl acid was diluted in 500 mL isopropanol, or similar ratio was applied). The solution was prepared on the day of use.

3.6.3 Chemicals used in the experiment

The chemicals used in this experiment are summarised in the following table:

Chemical	Supplier	Batch Number	Expiry date
MTT	VWR International Ltd.	19J656213	31 December 2021
Isopropanol (2-Propanol)	VWR International Ltd.	19D244010	23 April 2024
Hydrochloric acid (37% HCl)	VWR International Ltd.	18J094018	03 October 2023
Phosphate buffered saline (PBS)	Life Technologies Corporation	2215013	31 December 2022

3.7 Indicator for Potential False Viability

Optical properties of the test material or its chemical action on MTT may interfere with the assay leading to a false estimate of cell viability. This may occur when the test item is not completely removed from the tissue by rinsing or when it penetrates the epidermis during the exposure period. If the test material directly acts on MTT (MTT-reducer), is naturally coloured, or becomes coloured during tissue treatment, additional controls should be used to

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 16 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Regulamento de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02. É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

3.8.1 Pre-incubation (Day [-1])

The Maintenance Medium was pre-warmed to 37°C. The appropriate number of wells in an assay plate were filled with the pre-warmed medium (2 mL per well). The epidermis units were placed with the media below them, in contact with the epidermis into each prepared well and then incubated overnight (at least 18 hours) at 37°C in an incubator with 5 % CO₂, in a >95 RH % humidified atmosphere.

3.8.2 Application and rinsing (Day 0)

Test Item

10 µL of test item was applied evenly to each of three test units and each additional control skin unit. The 10 µL test item was sufficient to cover the epidermal surface.

Negative and positive controls

10 µL of negative control (PBS) or positive control (5% (w/v) SDS solution) was added to each skin unit by using a suitable pipette. Chemicals were spread gently with the pipette tip in order to cover evenly all the epidermal surface if necessary (without damaging the epidermis).

Note: The negative and positive controls were also part of concurrent study (Charles River Laboratories Hungary Kft. studies codes: 21/200-043B and 21/235-051B) performed in the same experimental period using the same batch of chemicals and same batch of skin units.

Incubation with Test Item

The plates with the treated epidermis units were incubated for the exposure time of 15 minutes (± 0.5 minute) at room temperature (22.9-24.3°C).

Rinsing

After the 15 minutes incubation time, the EpiSkin™ units were removed and rinsed thoroughly with PBS (2*25mL) to remove as much of the remaining test material as possible from the epidermal surface. The remaining PBS was removed from the epidermal surface with a pipette (without touching the epidermis).

Note: test item was stuck on epidermal surfaces.

After rinsing the units were placed into the plate wells with fresh pre-warmed Maintenance Medium (2 mL/well) and then incubated for 42 hours (±1 hour) at 37°C in an incubator with 5% CO₂, in a >95 RH % humidified atmosphere.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 18 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída em
estabelecimento de direito sob o nome de "Syngenta Proteção de Cultivos Ltda." inscrita no CNPJ nº
9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles
descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

OD Negative Control (OD_{NC}) = OD_{NCraw} - OD_{blank mean}

- The mean corrected OD of the 3 negative control samples was calculated: this value corresponds to 100% viability

Positive control:

- Individual positive control OD values (*PC_{raw}*) were corrected with the mean blank OD:

OD Positive Control (OD_{PC}) = OD_{PCraw} - OD_{blank mean}

- The mean corrected OD of the 3 positive control samples was calculated
- The viability % for each positive control replicate was calculated relative to the mean negative control:

Positive Control 1 % = (OD_{PC1} / mean OD_{NC}) × 100

Positive Control 2 % = (OD_{PC2} / mean OD_{NC}) × 100

Positive Control 3 % = (OD_{PC3} / mean OD_{NC}) × 100

- The mean value of the 3 individual relative viability % for positive control was calculated:

Mean PC % = (PC1 % + PC2 % + PC3 %) / 3

Test item:

- Individual test item OD values (*TT_{raw}*) were corrected with the mean blank OD:

OD Treated Tissue (OD_{TT}) = OD_{TTraw} - OD_{blank mean}

- The mean corrected OD of the 3 test item samples was calculated
- The viability % for each test item replicate was calculated relative to the mean negative control:

Treated Tissue 1 % = (OD_{TT1} / mean OD_{NC}) × 100

Treated Tissue 2 % = (OD_{TT2} / mean OD_{NC}) × 100

Treated Tissue 3 % = (OD_{TT3} / mean OD_{NC}) × 100

- The mean value of the 3 individual relative viability % for test item was calculated:

Mean TT % = (TT1 % + TT2 % + TT3 %) / 3

3.9.2 Data calculation for test items having MTT-interacting potential

Test items that interfere with MTT can produce non-specific reduction of the MTT. In this case, additional control samples are used to determine the OD value derived from non-specific reduction of the MTT. The measured OD value is corrected by the result of the additional controls before calculation of viability % as detailed below:

- Non-specific MTT reduction calculation (NSMTT%):

NSMTT (%) = [(OD_{KT} - OD_{KNC}) / OD_{NC}] × 100

OD_{KNC}: negative control killed tissues OD

OD_{KT}: test item treated killed tissues OD

OD_{NC}: negative control OD

If NSMTT% is ≤ 30%, then true MTT metabolic conversion (TOD_{TT}) is undertaken as follows:

TOD_{TT} = [OD_{TT} - (OD_{KT} - OD_{KNC})]

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 20 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Regulamento de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

OD_{TT}: test item treated viable tissues

- The relative viability (RV%) for each test item replicate is calculated relative to the mean negative control:

$$RV\ 1\ \% = [TOD_{TT1} / \text{mean } OD_{NC}] \times 100$$

$$RV\ 2\ \% = [TOD_{TT2} / \text{mean } OD_{NC}] \times 100$$

$$RV\ 3\ \% = [TOD_{TT3} / \text{mean } OD_{NC}] \times 100$$

- The mean value of the 3 individual relative viability % for test item is calculated:
Mean Relative Viability % = (RV 1 % + RV 2 % + RV 3 %) / 3

If NSMTT% is > 30% relative to the negative control, then additional steps must be undertaken if possible, or the test item must be considered as incompatible with the test.

3.9.3 Data calculation for test items having colouring potential

For test items detected as able to stain the tissues the non-specific OD due to the residual chemical colour (unrelated to mitochondrial activity) is evaluated and subtracted before calculation of the “true” viability % as detailed below:

- Non-Specific Colour % with viable tissues (NSC_{living} %):

$$NSC_{\text{living}}\ \% = (\text{mean } OD_{CTV} / \text{mean } OD_{NC}) \times 100$$

OD_{CTV}: test substance treated viable tissues (not incubated with MTT)

OD_{NC}: negative control OD (incubated with MTT)

If NSC_{living} % is ≤ 5 % then the normal calculation mode is used (see 3.9.1).

If NSC_{living} % is > 5% and ≤ 30%, then true MTT metabolic conversion (TOD_{TT}) is undertaken as follows.

$$TOD_{TT} = [OD_{TT} - \text{mean } OD_{CTV}]$$

OD_{TT}: test substance treated viable tissue (incubated with MTT)

OD_{CTV}: test substance treated viable tissue (not incubated with MTT)

- The relative viability (RV%) for each test item replicate is calculated relative to the mean negative control:

$$RV\ 1\ \% = [TOD_{TT1} / \text{mean } OD_{NC}] \times 100$$

$$RV\ 2\ \% = [TOD_{TT2} / \text{mean } OD_{NC}] \times 100$$

$$RV\ 3\ \% = [TOD_{TT3} / \text{mean } OD_{NC}] \times 100$$

- The mean value of the 3 individual relative viability % for test item is calculated:
Mean Relative Viability % = (RV 1 % + RV 2 % + RV 3 %) / 3

If NSC_{living} % is > 30 % relative to the negative control, additional steps must be undertaken if possible, or the test substance must be considered as incompatible with the test.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 21 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em sociedade de direito brasileiro sob o nome de SYNGENTA Proteção de Cultivos S.A., inscrita no CNPJ nº 07.023.898/0001-90, com sede em São Paulo, SP, Brasil, inscrita no CNPJ nº 07.023.898/0001-90, sob o registro de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

3.9.4 Data calculation for substance having both MTT interacting potential and colouring potential

For test substances detected as able to stain the tissues (3.9.3) and interfere with MTT (3.9.2), a third set of controls is also required before calculation of the “true” viability %.

- Non-Specific Colour % with killed tissues ($NSC_{\text{killed}} \%$):

$$NSC_{\text{killed}} \% = (\text{mean } OD_{\text{CTK}} / \text{mean } OD_{\text{NC}}) \times 100$$

OD_{CTK} : test substance treated killed tissues (not incubated with MTT)

OD_{NC} : negative control OD (incubated with MTT)

In that case the true MTT metabolic conversion (TOD_{TT}) is undertaken as follows:

$$TOD_{\text{TT}} = [OD_{\text{TT}} - (OD_{\text{KT}} - OD_{\text{KNC}}) - \text{mean } OD_{\text{CTV}} + \text{mean } OD_{\text{CTK}}]$$

OD_{TT} : test substance treated viable tissues (incubated with MTT)

OD_{KT} : test substance treated killed tissues OD

OD_{KNC} : negative control killed tissues OD

OD_{CTV} : test substance treated viable tissues (not incubated with MTT)

OD_{CTK} : test substance treated killed tissues (not incubated with MTT)

- The % relative viability (% RV) for each test substance replicate is calculated relative to the mean negative control:

$$RV 1 \% = [TOD_{\text{TT1}} / \text{mean } OD_{\text{NC}}] \times 100$$

$$RV 2 \% = [TOD_{\text{TT2}} / \text{mean } OD_{\text{NC}}] \times 100$$

$$RV 3 \% = [TOD_{\text{TT3}} / \text{mean } OD_{\text{NC}}] \times 100$$

- The mean value of the 3 individual relative viability % for test substance is calculated:

$$\text{Mean Relative Viability \%} = (RV 1 \% + RV 2 \% + RV 3 \%) / 3$$

3.10 Validity of the Test

The mean OD value of the three negative control tissues should be between 0.6 and 1.5 and the standard deviation value (SD) of the % viability values should be ≤ 18 .

The acceptable mean percentage viability range for the three positive controls is 0-40% and the standard deviation value (SD) of the % viability values should be ≤ 18 .

The SD calculated from individual % tissue viability values of the three test item treated replicates should be ≤ 18 .

The mean OD value of the blank samples (acidified isopropanol) should be < 0.1 .

3.11 Interpretation of Test Results

The irritation potential of test items can be classified according to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals [9], and a similar system is used in CLP [11,12]. In the present study, the irritancy potential of test items is

SEGREDOS INDUSTRIAIS

- Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), ANNEX III, B.46. IN VITRO SKIN IRRITATION: RECONSTRUCTED HUMAN EPIDERMIS MODEL TEST and amended by Commission Regulation (EU) No 640/2012 of 6 July 2012
3. EpiSkin™ SOP, Version 1.8 (February 2009), ECVAM Skin Irritation Validation Study: Validation of the EpiSkin™ test method 15 min - 42 hours for the prediction of acute skin irritation of chemicals
 4. OECD (2015), *Acute Dermal Irritation/Corrosion*, OECD Guideline for the Testing of Chemicals No. 404, OECD, Paris
 5. Faller C., Bracher M., Dami N. and Roguet R. (2002) Predictive activity of reconstructed human epidermis equivalents for assessment of skin irritation of cosmetics
 6. Mosmann T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J. Immunological Methods* 65, 55-62
 7. Tinois E., Gaetani Q., Gayraud, B., Dupond D., Rougier A. and Pouradier-Duteil X. (1994) The Episkin model: Successful reconstruction of a human epidermis *in vitro*. In: Rougier, A., Goldberg M., Maibach H.I. Eds. *In Vitro Skin Toxicology*. Mary Ann Liebert, New York, pp. 133-140
 8. Hungarian Good Laboratory Practice Regulations: 42/2014. (VIII. 19.) EMMI decree of the Ministry of Human Capacities which corresponds to the OECD GLP, ENV/MC/CHEM(98)17
 9. UN (2021), United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Ninth revised edition, UN New York and Geneva.
 10. EC-ECVAM (2009), Statement on the “Performance under UN GHS of three in vitro assays for skin irritation testing and the adaptation of the Reference Chemicals and Defined Accuracy Values of the ECVAM skin irritation Performance Standards”, issued by the ECVAM Scientific Advisory Committee (ESAC30), 9 April 2009
 11. EC (2008), REGULATION (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Official Journal of the European Union L353, 1-1355
 12. Guidance on the Application of the CLP Criteria, Guidance to Regulation (EC) No 1272/2008 on classification, labelling and packaging (CLP) of substances and mixtures, Version 5.0, November 2017

7.0 DISTRIBUTION OF THE FINAL REPORT

- Sponsor: 1x PDF file, one Word file will be uploaded to collaborative website
- Archive: 1x original, bound

TABLE 1 Optical Density (OD) and the Calculated Non Specific Colour % (NSC_{living}%) of the Additional Control Tissues

Additional control	Optical Density (OD)			NSC% (living)
		Measured	Blank corrected	
Treated with Difenoconazole/Fludioxonil/Metalaxyl-M/	1	0.061	0.015	1.7
	2	0.059	0.012	
Cyclobutrifluram FS (A23793B)	mean	--	0.013	

Notes:

1. Mean blank value was 0.047.
2. Optical density means the mean value of the duplicate wells for each sample (rounded to three decimal places).

CONFIDENTIAL

Property of Syngenta

syngenta

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 27 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Regulamento de Proteção de Cultivos, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

TABLE 2 Optical Density (OD) and the Calculated Relative Viability % of the Samples

Substance	Optical Density (OD)		Viability (RV%)	Standard Deviation (SD)	
	Measured	Blank corrected			
Negative Control: Phosphate buffered saline	1	0.775	0.729	95.8	--
	2	0.806	0.760	99.8	--
	3	0.841	0.794	104.4	--
	mean	--	0.761	100.0	4.3
Positive Control: 5% (w/v) SDS solution	1	0.096	0.050	6.5	--
	2	0.087	0.041	5.3	--
	3	0.096	0.049	6.4	--
	mean	--	0.046	6.1	0.7
Test Item: Difenoconazole/Fludioxonil/Metalaxyl-M/ Cyclobutrifluram FS (A23793B)	1	1.005	0.959	126.0	--
	2	0.990	0.943	124.0	--
	3	0.973	0.926	121.7	--
	mean	--	0.943	123.9	2.1

Notes:

1. Mean blank value was 0.047.
2. Optical density means the mean value of the duplicate wells for each sample (rounded to three decimal places).

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 28 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída em 20/10/1999 sob o nº 01.093.000/0001-90 do Registro de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.
É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

APPENDICES SECTION

CONFIDENTIAL
Property of Syngenta



SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 29 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo-se em segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 1 Certificate of Analysis



Syngenta Crop Protection, LLC
Analytical and Product Chemistry
Greensboro, NC 27409

Certificate of Analysis

A23793B
Batch ID 1200767 (GP210610)

Test Substance Name: CGA169374/CGA173506/CGA329351/SYN549522 FS
(062.51/049.93/050.05/250.08)
Common Name: Difenoconazole/Fludioxonil/Metalaxyl-M/Cyclobutrifuram FS
(062.51/049.93/050.05/250.08)
Material ID: A23793B
Batch ID: 1200767
Other ID: GP210610
Source: Syngenta Crop Protection LLC., 410 Swing Road, Greensboro, NC 27409, US

Chemical Analysis

AI	% w/w	g/L
Difenoconazole	5.45	64.0
Fludioxonil	4.37	51.3
Metalaxyl-M	4.31	50.6
Cyclobutrifuram	21.0	247

Identity of the Active Ingredients: Confirmed
Methodology Used for Characterization: LC, mass spectrometry, oscillating density meter.
The Active Ingredient(s) content is within the FAO limits.

Isomer Assay

Analyte	Isomer	% w/w
CGA329351	D-alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, Methyl Ester	4.15
CGA351920	L-alanine, N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-, Methyl Ester	0.15

COA Number: USGR210208

Page 1 of 2

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 30 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo-se em segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

Physical Analysis

Analyte	Value	Units
---------	-------	-------

Density	1.174	g/cm ³
---------	-------	-------------------

Appearance: red liquid

Storage Temperature: <30°C

Re-certification Date: End of Aug/2024

If stored under the conditions given above, this test substance can be considered stable until the recertification date is reached.

The stability of this test substance will be determined concurrently through reanalysis of material held in inventory under GLP conditions at Syngenta Crop Protection, LLC, Greensboro, NC.

This Certificate of Analysis is summarizing data from a study that has been performed in compliance with Good Laboratory Practices per 40 CFR Part 160. Raw data, documentation, protocols, any amendments to study protocols and reports pertaining to this study are maintained in the Syngenta Crop Protection Archives in Greensboro, NC.

Study Number: USGR210208

Authorization: Sherry Perine

Sherry C Perine

Sherry Perine

Analytical and Product Chemistry Department

Aug 24, 2021

Date

COA Number: USGR210208

Page 2 of 2

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 31 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída em 20/10/1996 sob o nº 016/96 do Registro de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei nº 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 2 Copy of the Test Kit Quality Control



NAME

EpiSkin™ Small / Human Epidermis (SM/13)

DESCRIPTION

0.38 cm² reconstructed epidermis of normal human keratinocytes. Cells are grown on a collagen matrix, for 13 days

BATCH : 21-EKIN-042

ORIGIN : Adult donors

USAGE : FOR SCIENTIFIC USE ONLY - PRODUCT OF HUMAN ORIGIN

STORAGE : This product was prepared and packaged using aseptic techniques. Store in an incubator at 37°C, 5% CO₂ with saturated humidity

QUALITY CONTROLS

Control # E211306

	Process	Specification	Result
HISTOLOGY	HES stained paraffin section	Multi-layered, highly differentiated epidermis consisting of organized basal, spinous and granular layers, and a multilayered <i>stratum corneum</i>	Satisfactory
		Number of cell layers ≥ 4	8 cell layers
IC50 DETERMINATION	SDS concentration, MTT test.	1.5 mg/mL \leq IC50 \leq 3.0 mg/mL	1.9 mg/mL

BIOLOGICAL SAFETY:

On blood of the donors, we have verified the absence of HIV1 and 2 antibodies, hepatitis C antibodies and hepatitis B antigen HBs.

On cells from the donors, we have verified the absence of bacteria, fungus and mycoplasma.

SUGGESTED EXPIRATION DATE:

October 25, 2021

Lyon, October 19, 2021

Certified and released by Michel BATAILLON, Quality Control Manager

Manufactured in accordance to the ISO9001 quality system of Episkin.

The use of this human tissue is strictly limited to *in vitro* testing. All other manipulations of this tissue such as: extraction and maintenance of single cells in culture, use of the tissue for diagnostic or therapeutic purposes and in human subjects, are strictly prohibited.

ISO 9001 Certified

4, rue Alexander Fleming - 69366 Lyon Cedex 07 - France - Tél : +33 (0)4 37 28 72 00 - Fax : +33 (0)4 37 28 72 28
S.A. au capital de 13 608 807 € - 412 127 565 R.C.S. Lyon - NAF : 7211 Z - N° TVA Intracommunautaire FR 46 412 127 565
www.episkin.com



SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 32 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituindo-se em segredo de indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 3 Historical Control Data

(updated: 25 August 2021)

	Mean value (OD)	Standard deviation (SD)	Minimum value (OD)	Maximum value (OD)	Number of cases
Negative control					
Year 2014-2020	0.811	0.127	0.573	1.381	630
Positive control					
Year 2014-2020	0.062	0.045	0.007	0.354	624
Year 2014-2020 viability %	7.6	5.2	0.8	29.7	

Note: The HC data of the last 7 years are shown in the table. All OD values (measured at 570 ±30 nm) are background corrected values. Before 27 February 2019 the treatment volume was 50µl. After 27 February 2019 the treatment volume was 20µl. After 08 July 2020 the treatment volume is 10µl due to scientific reasons.

Negative control: Phosphate buffered saline (PBS)

Positive control: Sodium dodecyl sulphate (SDS)

SD: Standard deviation

OD: Optical density (absorbance)

Note: All OD values (measured at 570) are background corrected values.

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 33 of 34

Estas informações são propriedade da Syngenta Proteção de Cultivos Ltda., constituída em conformidade com o Regulamento de Indústria, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente

APPENDIX 4 GLP Certificate



Hatósági Ellenőrzési Főosztály

1051 Budapest, Zrínyi utca 3.
Levél cím: 1372 Postafiók 450
Tel.: +36 1 886 9300, Fax: +36 1 886 9460
E-mail: ogyei@ogyei.gov.hu
Web: www.ogyei.gov.hu

Ref. no: OGYÉI/-29520-2/2021

Admin.: Dr. Szaller Zoltán

GOOD LABORATORY PRACTICE (GLP) CERTIFICATE

It is hereby certified that the test facility

Charles River Laboratories Hungary Kft.

H-8200 Veszprém, Szabadságpuszta

is able to carry out

physico-chemical testing, toxicity studies, mutagenicity studies, environmental toxicity studies on aquatic or terrestrial organisms, studies on behaviour in water, soil and air; bio-accumulation, analytical and clinical chemistry, pathology studies, preparation of microscopic tissue sections, reproduction toxicology, in vitro studies, inhalation toxicology, and contract archiving

in compliance with the Principles of GLP (Good Laboratory Practice) and also complies with the corresponding OECD/European Community requirements.

Date of the inspection: 07-11 May 2018.

This certificate is valid up to 11th of May, 2022.

Dr. Lukács
Ferenc
József

Digitálisan aláírta:
Dr. Lukács Ferenc
József
Dátum: 2021.05.06
13:04:14 +02'00'

Dr. Ferenc Lukács
Head of Inspectorate

Note: Translation of the text of the certificate in the header: ("Országos Gyógyszerészeti és Élelmezés-egészségügyi Intézet") - ("National Institute of Pharmacy and Nutrition"); ("Hatósági Ellenőrzési Főosztály") - (Inspectorate Division) and at the signature: ("Digitálisan aláírta") - (Digitally signed); ("Dátum") - ("Date").

SEGREDOS INDUSTRIAIS

Report Number: 21/245-043B

Page 34 of 34

Estas informações são de propriedade da Syngenta Proteção de Cultivos Ltda., constituída sob o nome comercial de SAGRAMO DE INDÚSTRIA, protegidos pelo artigo 195, XI, XII e XIV da Lei 9.279/96 e do parágrafo 2º do artigo 9º da Lei 10.603/02.

É terminantemente proibida a divulgação dessas informações e a sua utilização para fins diversos daqueles descritos no parágrafo 2º do artigo 9º da Lei 10.603/02.

Todos os infratores poderão ser processados civil e criminalmente